



TERMAL SERAMİK

*Living Surfaces
Yaşayan Yüzeyler*

COLLECTION / 2022

TERMAL SERAMİK



TERMAL SERAMİK

Seramik, günümüzün en çağdaş ve teknolojik dekorasyon malzemelerinden biri olmakla beraber aynı zamanda insanoğlunun ürettiği ve kullandığı en eski sanatsal ürünlerden biridir.

Teknoloji, doğa ve insanı bir araya getiren, ihtiyaç ve istekleri farklı müşterilere, mekanları oluşturmak için yola çıkan “Termal Seramik”’in temelleri Söğüt, Bilecik’te 1995 yılında atıldı. Birinci fabrika 1997 yılında, ikinci fabrika 2005 yılında üretime başlamıştır. Termal Seramik’in yeni yatırımının 2021 yılının Aralık ayında devreye alınmasıyla birlikte yıllık üretim kapasitesi 28.000.000 m²/yıl olmuştur.

Yeni yatırım sayesinde 80*80, 60*60, 60x90,30x120,60*120,75x150 ebatlarında mat, parlak ve parlatılmış lappato porselen yer karosu; 15*60 ,20x90 ve 30*120 ebatlarında porselen parke ve 30*75 ve 30*90 duvar karosu üretimine başlanmıştır. Bu ebatların yanı sıra mevcut üretim gamında 30*60, 45*45 ve 33x33 Porselen yer karosu üretimi ile 30x60,10x20,10x40 Duvar karosu üretimine de devam edilmektedir. Fabrikamız tüm ürünleri rektifiyeli veya rektifiyesiz olarak sunabilmektedir, ayrıca renkli gövde ve 20 mm kalın karo seçenekleri mevcuttur.

Şu an yaklaşık 1300 kişi ile üretim yapan Termal Seramik’te fabrikada üretilen ürünler detaylı üretim ve kontrol aşamalarından geçmektedir.

Misyonumuz, Termal Seramik San. ve Tic. A.Ş. olarak, müşteri memnuniyetini sağlamak; ulusal ekonomiye katkıda bulunmak ; çevreye ve topluma karşı görevlerimizi yerine getirmek; teknoloji ve kalite konusunda lider olabilmek için Toplam Kalite Yönetiminin prensiplerini temel çalışma felsefemiz olarak benimsemektir.

Ceramic is today's one of the most modern and technological decoration materials and it was used since the beginning of the history.

Combining technology with nature and human, "Termal Seramik" was founded in Söğüt, Bilecik in 1995 to create value for its customers with different needs and demands. First factory started production in 1997, and second factory started production in 2005. After the new investments during the last 2 years, completed in December 2021, Termal Seramik increased its capacity up to 28.000.000 m² per year.

New investments enabled Termal Seramik to produce porcelain floor tiles of sizes such as 80*80, 60*60, 60x90, 30x120, 60*120, 75x150; wall tiles of sizes such as 30*90, 30*75 and parquet porcelain tiles such as 15*60, 20x90, 30x120 Regular porcelain products of sizes 30*60, 45*45 and 33x33 and wall tiles of size 30*60, 10x20, 10x40 are being produced as well. Our factory is capable of offering all these products in rectified and non-rectified solution. Color body and 20 mm thick tile products are also offered to customers.

Employing around 1.300 people for production, Termal Seramik is running its production under strict Total Quality Assurance System with domestic and international certifications.

Our purpose and major objectives are to satisfy customer needs; to contribute to national economy; to fulfill our duties for the environment and the society; and to put Total Quality Assurance System into our top priority in order to become the leader in our sector and in continuous technological innovation.

İNDEKS

30x90

YER VE DUVAR KAROLARI

FOSSIL	13
FRAME	15
GLOSSY- MAT	16
GRANDE	17
İSTANBUL	19
JUPITER	20
LINCOLN	23
MARGARITA	24
ORION	27
PRIZMA	28-29
SCARLET	30
SETH	33

30x75

YER VE DUVAR KAROLARI

AMAZON	36
AZUL	39
BUTTERFLY	40
CONTESSA	43
FOSSIL	44
ISABELLA	46-47
JULIA	48
LION	50-51
LUCY	52
LUNA	53
MADELINE	54
MERLIN	57
PONTE	58
RACHEL	61
SWISS	63
THANOS	64
VALENCIA	66-67

30x60

YER VE DUVAR KAROLARI

AÇELYA	70
AKDENİZ	71
AYBEY	72
BELEN	73
BOĞAZIÇI	74
DEEP	75
EMİRGAN	76
FEWA	77
HEGZA	78
MERKUR	78
MOON	79
MONA	79
NEW BRECCIA	80
NEW KENDAL	81
NEW TOROS	82-83
NİL	84
PLUTON	84
PULPIS	86-87
PYRAMID	88
RETRO	88
SEYHAN	89
SENA	90
SPACE	90

30x60**60x60****60,5x60,5****60x120****PORSELEN YER KAROLARI**

AIDEN	92	DECK CHERRY	135	LAYLA	192
AKDENİZ	94-95	DREAM MARBLE	137	LIFE	190-192
ALLEGRA	97	ECHO	138	LINCOLN	193
AMAYA	98-99	EDNA	139	LION	194
AMAZON	100-101	ELBA	140-141	LUCY	195
ANKARA	102-104	EMPARADOR	142	LUNA	196
ANUSHKA	105	FELICITY	144	MADLINE	197
AQUA	106	FIONA	145	MADRA	197
AREA	106	FIORD MARBLE	146	MAEVE	198
ARROW	107	FORME	147	MANFREDO	199
ARŞİPEL	108	FOSSIL	148-150	MARGARITA	200
ASTRID	108	FRENCH STONE	152-153	MARGOT	201
AXELL	109	FREYA	153	MARMO BIANCO	202
AZUL	110-111	FRIGIA	154-157	MARMO NERO	203
BASALTO	112-113	GABRIELLA	158	MARVELLA	204
BIRMINGHAM	114-115	GALAXY	160	MAT	205
BLOSSOM	115	GOLD CALACATTA	161	PARLAK	205
BOLERO	116-117	GORDION	161	MERLIN	206-207
BRECCIA	118	GRACE	162	MIA	207
BUTTERFLY	118-119	GRANDE	163	MICHIGAN	208-209
CALACATTA	120-121	GRANI	164	MISSISSIPPI	210-211
CELESTE	122	HAZEL	165	MONT BLANC	212
CHESTER	123	HEGZA WOOD	165	MONTGOMERY	214
CHLOE	123	HELENA	166	MORGAN	216
CLOUD	124	HİSAR	166-167	MYRA	217
CONCRAITE	126-127	INDIA	168	NEPTUN	218
CONTESSA DAMA	128	IRIS	168	NEW CARRARA	220
CONTESSA ORO	129	ISABELLA	170-171	NEW CHERRY	221
CRASI	130-133	ISLA	172-173	NEW YORK	222
ÇINAR	134	İSTANBUL	174	NIAGARA	222
CUCINA	135	İZMİR	176-177	NORDICHE	224-227
		JENNIFER	178	NOTTI	228
		JOY	179	NOVARA	228
		JULIA	180		
		JUNO STONE	181		
		KAPADOKYA	182		
		KAİA	182		
		KENDAL BIANCO	184-185		
		KENT	186-189		

30x60

60,5x60,5

60x60

60x120

PORSELEN YER KAROLARI

OCEAN	229
ODETTE	231
OLIMPIA	230
ONISE	232
OPHELIA	233
ORION	234-235
ÖYKÜ	235
PANDORA	236
PENELOPE	237
PEREGRINE	238-239
PONTE	240-241
QUANTUM	242-243
RACHEL	244
RENATE	245
REX CARRARA	246
RIMINI	248-250
SAKARYA	252-256
SALERNO	257
SANTA FE	258-261
SARA	262
SCARLET	262
SERAPIS	263
SEREPHINA	264
SETH	265
SLATE	268-269
SOFIA	266
SPECIA	266
STONE	270-274
SUPER	276
SWISS RHONE	277-278
SUPERIOR	278
TABITHA	279
THOR	280-281
TIZIANA	282
TOROS	282
TRU MARMI	283
ULTRA	284
UNIVERSE	285

URANÜS	286
URLA	287
VALENTINA	288
VALENCIA	290-291
VENETO	292-293
VIVANTE	294

60x120

TEZGAH ARASI
PORSELEN KAROLAR

BEYLERBEYİ	296
BOĞAZİÇİ	297
EMİRGAN	296
SENA	298

75x150

PORSELEN YER KAROLARI

ADELAIDE	300
AREA CARRARA	301
BRISBANE	301
CHLOE	302
CORA	302
FRIGIA	303-304
GRANDE	305
HELENA	305
HOPE	306
ISLA	307
KENDAL KESTON	308
LUNA	308
MARVELLA	309
NIAGARA	310
OLIMPIA	310
ORLANDO	311
PARIS	311
PENELOPE	312
RIMINI	313
TAYLOR	314
TRU MARMI	314
VENETO	315
VIVANTE	316
ZAIRE	316

60x60x2

60x90x2

PORSELEN YER KAROLARI

BASALTO	318-319
CHATSWORTH	320-321
QUANTUM	322
HARLOW	322-323
HARMONIE	324-327
ROSEMOOR	328

80x80**PORSELEN YER KAROLARI**

AKDENİZ	330
ANKARA	331
ANUSHKA	332
BIANCA	332
CLAYDON	333
CONCRAITE	334
DAPHNE	335
FRIGIA	336-337
GRANI	338-339
İSTANBUL	340
İZMİR	340-341
KENDAL KESTON	342
LINCOLN	342
LIFE	344
MADLINE	345
MADRA	346
MYRA	347
ODETTE	348
ONICE	349
ÖYKÜ	349
RIMINI	350
ROLA	351
SAKARYA	352
SUPERIOR	353
SWISS RHONE	354
VALENTINA	354
VENETO	355

30x60**PORSELEN YER KAROLARI**

AKÇAAĞAÇ	358
ALASKA	358
ALCATRAZ	358
BROOK	359
BIRMINGHAM	359
CALACATTA	359
CALLIKA MIST	360
CEMENT	360
CONTESSA DAMA	360
CORDOBA	361
DELTA	361
EKİN	362
FRIGIA	362
GIZA	364
GOLD CALACATTA	365
JOLIE	365
KENDAL	367
KENT	366
LAMİA	367
LARA	368
LENA	368
MALABADİ	369
MALHAM	369
MICHIGAN	370
MISSISSIPPI	370
MISSION	370
MONT BLANC	371
NİSAN	371
PAMUKKALE	371
PIAGGIA	372
POOL	372
RIMINI	372
ROLA	373
SAN REMO	373
SANTA FE	373
TEAKWOOD	374
TEMPO	374
TİBET	375
TRAVERTEN	375

45x45**PORSELEN YER KAROLARI**

AHŞAP STONE	378
AKAR	378
AKÇAAĞAÇ	378
ALPINE	379
ANTALYA	379
ANTİK MEŞE	379
ARDIÇ	380
ASPENDOS	380
ASUR	381
CONTESSA DAMA	382
ÇİRAĞAN	382
FRIGIA	382
GIZA	383
HAREM	384
HAVUZ	384
İNDİLA	386
LARA	386
LIFE	387
MEŞE	388
MİLET	388
NEW CARRARA	388
NEW SOFA	389
PARLAK KREM	389
PATIO	389
RIMINI	390
ROMA	390
SATEN	390
SKYPOOL	391
STONE	391
TARABYA	391
TOPKAPI	392
VADİ	392
VALLEY STONE	392
VENEDİK	393
VINTAGE WOOD LIGHT	393

İNDEKS

20x90

19x89

15x60

PORSELEN PARKE YER KAROLARI

ADRIANA WOOD	396	ROWAN	420
ALNO	397	RUSTICA WOOD	420
ANTIQUE WOOD	398	STUCCO	421
BLOSSOM	398	TABUS	421
BURLINGTON	399	TEAKWOOD	422
BURTON	400	YUKON	423
CALIOPE WOOD	401		
CHERRY	402		
CRACKLE	402		
DRIFT WOOD	402		
ELITE WOOD	403		
HEIRLOOM	403		
ILGAZ	404-406		
INDUS	406		
KEN WOOD	407		
LACE WOOD	407		
LAPIS WOOD	407		
LARIX	408-409		
LEGACY	410		
LEGNO CHIARO	410		
LYSSA RUSTIC WOOD	411		
MADERA MARRON	411		
MAISON PLANK	411		
MOKUZAI	412		
MONTGOMERY	413		
NORTH	413		
PEGAWOOD	414		
PERSPECTIVE	414		
PINE	415		
PITSAW	416-417		
PUZZLE WOOD	418		
RIO WOOD	419		

29x119

PORSELEN YER KAROLARI

ALNO	424
BLUE MAHOE	424
LUXEMBURG	424
MOKUZAI	425
MONTGOMERY	426
PASEDNA	426
PEGAWOOD	426

33x33

PORSELEN YER KAROLARI

BOULOGNE	428
OPERA	429
CONCORDE	430
CONTESSA DAMA	430
SATEN	431
SERENITY	431
GIZA	432

10x20

10x40

DUVAR KAROLARI

FELIX	434-435
FELIX METRO	434-435
FELIX WAVE	434-435

TERMAL SERAMİK



30x90 cm. PRIZMA



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER VE DUVAR
KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR AND
WALL TILES

30x90

TERMAL
SERAMİK

30x90 cm. FOSSIL



30x90 / 12"x36" - 60,5x60,5 / 24"x24"

FOSSIL



30x90 cm.

FOSSIL (RECTIFIED) Light Grey



30x90 cm.

FOSSIL (RECTIFIED) Dark Grey



60,5x60,5 cm.

FOSSIL MAT Light Grey



30x90 cm.

FOSSIL DECOR 1 (RECTIFIED)



30x90 cm.

FOSSIL DECOR 2 (RECTIFIED)



Otal
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x90 cm. **FRAME**



30x90 / 12"x36" - 60,5x60,5 / 24"x24"

FRAME



30x90 cm.
FRAME MAT (RECTIFIED) Light



30x90 cm.
FRAME MAT (RECTIFIED) Dark



30x90 cm.
FRAME MAT DEKOFON (RECTIFIED)



60,5x60,5 cm.
FRAME MAT



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Mat Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4


GLOSSY- MAT

30x60/12"x24"- 30,5x75,5 /12"x30"
30x90 /12"x36"




30x90 cm.

GLOSSY (GLOSSY) (RECTIFIED) White




30x60 cm.

GLOSSY (GLOSSY) (RECTIFIED) White




30x90 cm.

MAT (MAT) (RECTIFIED) White




30x60 cm.

MAT (MAT) (RECTIFIED) White



30x75 cm.

GLOSSY (GLOSSY) (RECTIFIED) White



30x75 cm.

MAT (MAT) (RECTIFIED) White



30x90 / 12"x36" - 60,5x60,5 / 24"x24"

GRANDE



30x90 cm.

GRANDE (RECTIFIED) White



60,5x60,5 cm.

GRANDE (HIGH GLOSSY) White



30x90 cm.

GRANDE DECOR (RECTIFIED)



30x90 cm. GRANDE



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x90 cm. İSTANBUL



30x90/12"x36"- 60x60/24"x24"
60,5x60,5/24"x24"

İSTANBUL



30x90 cm.
İSTANBUL (RECTIFIED)



30x90 cm.
İSTANBUL GEO DECOR (RECTIFIED)



30x90 cm.
İSTANBUL LINE DECOR (RECTIFIED)



60x60 cm.
İSTANBUL (HIGH GLOSSY)
(RECTIFIED)



60,5x60,5 cm.
İSTANBUL (HIGH GLOSSY)



30x90 cm. İSTANBUL



JUPITER

30x90 / 12"x36"- 60,5x60,5 / 24"x24"



30x90 cm.
JUPITER (RECTIFIED) White



30x90 cm.
JUPITER MULTI DECOR (RECTIFIED) Antracite



30x90 cm.
JUPITER (RECTIFIED) Antracite



60,5x60,5 cm.
JUPITER (HIGH GLOSSY) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x90 cm. **JUPITER**



30x90 cm. LINCOLN



30x90 / 12"x36" - 60,5x60,5 / 24"x24"

LINCOLN



30x90 cm.
LINCOLN (RECTIFIED) White



30x90 cm.
LINCOLN LEAF DECOR (RECTIFIED) White



60,5x60,5 cm.
LINCOLN (HIGH GLOSSY) White



30x90 cm.
LINCOLN (RECTIFIED) Black



30x90 cm.
LINCOLN DECOR (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

MARGARITA

30x90 / 12"x36" - 60,5x60,5 / 24"x24"



30x90 cm.

MARGARITA (RECTIFIED) White



30x90 cm.

MARGARITA (RECTIFIED) Black



30x90 cm.

MARGARITA DECOR (RECTIFIED)



60,5x60,5 cm.

MARGARITA (HIGH GLOSSY)
White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x90 cm. **MARGARITA**



30x90 cm. **ORION**




30x90 / 12"x36" - 60,5x60,5 / 24"x24"

ORION



30x90 cm.
ORION (RECTIFIED)



30x90 cm.
ORION FLOWER DECOR (RECTIFIED)



30x90 cm.
ORION GEO DECOR (RECTIFIED)



60,5x60,5 cm.
ORION (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles




Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



30x90 cm.
PRIZMA (RECTIFIED) White



30x90 cm.
PRIZMA (RECTIFIED) Blue



30x90 cm. **PRIZMA**



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Mat Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4


30x90 / 12"x36" - 60,5x60,5 / 24"x24"

PRIZMA



30x90 cm.

PRIZMA LINE DECOR (RECTIFIED) White



30x90 cm.

PRIZMA LINE DECOR (RECTIFIED) Blue




30x90 cm.

PRIZMA DAMASK DECOR (RECTIFIED) White




30x90 cm.

PRIZMA DAMASK DECOR (RECTIFIED) Blue



60,5x60,5 cm.

PRIZMA MAT White



60,5x60,5 cm.

PRIZMA MAT Blue



Otal
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

SCARLET

30x90 / 12"x36" - 60,5x60,5 / 24"x24"



30x90 cm.
SCARLET (RECTIFIED) White



30x90 cm.
SCARLET (RECTIFIED) Black



30x90 cm.
SCARLET DECOR (RECTIFIED)



60,5x60,5 cm.
SCARLET (HIGH GLOSSY) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x90 cm. **SCARLET**



30x90 cm. **SETH**




30x90 / 12"x36" - 60,5x60,5 / 24"x24"

SETH



30x90 cm.
SETH (RECTIFIED) White



30x90 cm.
SETH (RECTIFIED) Black



30x90 cm.
SETH DECOR (RECTIFIED)



60,5x60,5 cm.
SETH (HIGH GLOSSY) White



Otel
Hotel

İş Merkezi, Ofis
Business Center

Alışveriş Merkezi
Shopping Center

Konut
Residence

Restoran, Cafe
Restaurant, Cafe

Duvar Karosu
Wall Tiles

Parlak Yüzey
Abrasion Resistance

Önemli Farklılık
Moderate Variation

4

30x75 cm. VALENCIA



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER VE DUVAR
KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR AND
WALL TILES

30x75

**TERMAL
SERAMİK**

AMAZON

30x75/12"x30" - 45x45/18"x18"



30x75 cm..
AMAZON (RECTIFIED) Bone



30x75 cm..
AMAZON LEAF DECOR (RECTIFIED)



30x75 cm..
AMAZON GEO DECOR (RECTIFIED)



30x75 cm..
AMAZON (RECTIFIED) Brown



45x45 cm..
AMAZON Bone



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x75 cm. **AMAZON**



30x75 cm. AZUL



30x75/12"x30"- 45x45 /18"x18"

AZUL



30x75 cm.
AZUL (RECTIFIED) White



30x75 cm.
AZUL (RECTIFIED) Antracite




30x75 cm.
AZUL (RECTIFIED) Blue



30x75 cm.
AZUL DECOR (RECTIFIED)



45x45 cm.
AZUL White



Otel
Hotel

İş Merkezi, Ofis
Business Center

Alışveriş Merkezi
Shopping Center

Konut
Residence

Restoran, Cafe
Restaurant, Cafe

Duvar Karosu
Wall Tiles

Parlak Yüzey
Abrasion Resistance

Önemli Farklılık
Moderate Variation

4

BUTTERFLY

30x75/12"x30" - 45x45/18"x18"



30x75 cm.
BUTTERFLY (RECTIFIED)



30x75 cm.
BUTTERFLY LINE DECOR (RECTIFIED)



30x75 cm.
BUTTERFLY (RECTIFIED)



30x75 cm.
BUTTERFLY (RECTIFIED)



30x75 cm.
BUTTERFLY A (RECTIFIED)



30x75 cm.
BUTTERFLY B (RECTIFIED)



45x45 cm.
BUTTERFLY



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x75 cm. **BUTTERFLY**



30x75 cm. CONTESSA



30x75/12"x30"- 45x45/18"x18"
60x60/24"x24"- 60,5x60,5/24"x24"

CONTESSA



30x75 cm.
CONTESSA (RECTIFIED)



45x45 cm.
CONTESSA




30x75 cm.
CONTESSA DECOR (RECTIFIED)



30x75 cm.
CONTESSA LINE DECOR (RECTIFIED)



60x60 cm.
CONTESSA (HIGH GLOSSY)
(RECTIFIED) White



60,5x60,5 cm.
CONTESSA (HIGH GLOSSY)
White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



FOSSIL

30x75/12"x30"- 45x45/18"x18"
60x60/24"x24"- 60,5x60,5/24"x24"



30x75 cm.
FOSSIL (RECTIFIED) Light Grey



30x75 cm.
FOSSIL (RECTIFIED) Dark Grey



30x75 cm.
FOSSIL DECOR (RECTIFIED) Grey



45x45 cm.
FOSSIL Light Grey



60x60 cm.
FOSSIL (HIGH GLOSSY)
(RECTIFIED) Light Grey



60,5x60,5 cm.
FOSSIL (HIGH GLOSSY)
Light Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x75 cm. **FOSSIL**



ISABELLA


30x75/12"x30"- 45x45/18"x18"
60x60/24"x24"- 60,5x60,5/24"x24"




30x75 cm.
ISABELLA (RECTIFIED) White




30x75 cm.
ISABELLA DECOR (RECTIFIED) Grey



30x75 cm.
ISABELLA (RECTIFIED) Grey



45x45 cm.
ISABELLA White



30x75 cm.
ISABELLA FLOWER DECOR (RECTIFIED)





60x60/ 24"x24" - 60,5x60,5 / 24"x24"

ISABELLA



60,5x60,5 cm.
ISABELLA (HIGH GLOSSY)
White



60,5x60,5 cm
ISABELLA (HIGH GLOSSY) Grey



30x75 cm. **ISABELLA**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



30x75 cm.
JULIA (RECTIFIED) White



30x75 cm.
JULIA DECOR (RECTIFIED) White



45x45 cm.
JULIA White



30x75 cm. JULIA



LION

30x75/12"x30" - 45x45/18"x18"



30x75 cm.
LION (RECTIFIED) White



30x75 cm.
LION (RECTIFIED) Grey



30x75 cm.
LION DECOR (RECTIFIED) Grey



45x45 cm.
LION White

30x75 cm. **LION**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4




60x60 cm.

LION (HIGH GLOSSY) (RECTIFIED)
White

60x60 cm.

LION (HIGH GLOSSY) (RECTIFIED)
Grey

60,5x60,5 cm.

LION (HIGH GLOSSY) White

60,5x60,5 cm.

LION (HIGH GLOSSY) GreyOtel
Hotelİş Merkezi, Ofis
Business CenterAlışveriş Merkezi
Shopping CenterKonut
ResidenceRestoran, Cafe
Restaurant, CafeParlak Yüzey
Abrasion ResistanceÖnemli Farklılık
Moderate Variation

4

LUCY

30x75/12"x30"- 45x45/18"x18"



30x75 cm.
LUCY (RECTIFIED) White



30x75 cm.
LUCY (RECTIFIED) Grey



30x75 cm.
LUCY DECOR (RECTIFIED)



45x45 cm.
LUCY White



30x75 cm. **LUCY**



Otal
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x75/12"x30"- 45x45 /18"x18"

LUNA



30x75 cm.
LUNA (RECTIFIED)



30x75 cm.
LUNA DECOR (RECTIFIED)



30x75 cm. **LUNA**



45x45 cm.
LUNA



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

MADELINE


30x75/12"x30" - 45x45/18"x18"



30x75 cm.
MADELINE (RECTIFIED) White



30x75 cm.
MADELINE (RECTIFIED) Black



30x75 cm.
MADELINE DECOR (RECTIFIED)



45x45 cm.
MADELINE
White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation




4

30x75 cm. **MADLINE**



30x75 cm. **MERLIN**




30x75/12"x30"- 45x45 /18"x18"

MERLIN



30x75 cm.

MERLIN (RECTIFIED) Beige



30x75 cm.

MERLIN (RECTIFIED) Brown



30x75 cm.

MERLIN DECOR (RECTIFIED)



45x45 cm.

MERLIN Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

PONTE


30,5x75,5 / 12"x30" - 45x45 / 18"x18"



30x75 cm.
PONTE (RECTIFIED) White




30x75 cm.
PONTE (RECTIFIED) Black



30,5x75,5 cm.
PONTE DECOR (RECTIFIED)



30,5x75,5 cm.
PONTE BUMERANG DECOR (RECTIFIED)



45x45 cm.
PONTE White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

30x75 cm. **PONTE**



30x75 cm. **RACHEL**



30x75/12"x30"- 45x45 /18"x18"

RACHEL



30x75 cm.

RACHEL (RECTIFIED) Beige



30x75 cm.

RACHEL (RECTIFIED) Brown



30x75 cm.

RACHEL DECOR (RECTIFIED)



45x45 cm.

RACHEL Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x75 cm. **SWISS**



30x75/12"x30"- 45x45 /18"x18"
60x60/ 24"x24"- 60,5x60,5 / 24"x24"

SWISS



30x75 cm.
SWISS (RECTIFIED)



45x45 cm.
SWISS



30x75 cm.
SWISS DECOR (RECTIFIED)



60x60 cm.
SWISS (HIGH GLOSSY)
(RECTIFIED)



60,5x60,5 cm.
SWISS (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

THANOS

30x75/12"x30" - 45x45/18"x18"



30x75 cm.

THANOS (RECTIFIED) Light Grey



30x75 cm.

THANOS (RECTIFIED) Dark Grey



30x75 cm.

THANOS DECOR (RECTIFIED)



30x75 cm.

THANOS ULTRON DECOR (RECTIFIED)




45x45 cm.

THANOS
Light Grey



30x75 cm. **THANOS**



VALENCIA

30x75/12"x30"- 45x45/18"x18"
60x60/24"x24"- 60,5x60,5/24"x24"



30x75 cm.

VALENCIA GEO DECOR (RECTIFIED)



30x75 cm.

VALENCIA DAMASK DECOR (RECTIFIED)



30x75 cm. **VALENCIA**



30x75/12"x30"- 45x45/18"x18"
60x60/24"x24"- 60,5x60,5/24"x24"

VALENCIA



30x75 cm.
VALENCIA (RECTIFIED) White



45x45 cm.
VALENCIA White



30x75 cm.
VALENCIA (RECTIFIED) Black



60x60 cm.
VALENCIA (HIGH GLOSSY)
(RECTIFIED) White



60,5x60,5 cm.
VALENCIA (HIGH GLOSSY)
White



Otal
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x75 cm. ISABELLA



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER VE DUVAR
KAROLARI**


DIGITAL GLAZED
PORCELAIN
FLOOR AND
WALL TILES

30x60

TERMAL
SERAMİK

AÇELYA

30x60 / 12"x24"



30x60 cm.
AÇELYA



30x60 cm.
AÇELYA DECOR



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance




Aynı Görünüm
Uniform Appearance




4



30x60 cm.
AKDENİZ White



30x60 cm.
AKDENİZ DECOR Black



30x60 cm.
AKDENİZ DECOR Grey



30x60 cm.
AKDENİZ Black



30x60 cm.
AKDENİZ Grey



45x45 cm.
AKDENİZ White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

AYBEY

30x60 / 12"x24" - 45x45 / 18"x18"



30x60 cm.
AYBEY Light Grey



45x45 cm.
AYBEY Light Grey



30x60 cm.
AYBEY DECOR



30x60 cm.
AYBEY Dark Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

30x60 / 12"x24"

BELEN



30x60 cm.
BELEN (RECTIFIED) Grey



30x60 cm.
BELEN (RECTIFIED) White



30x60 cm. **BLOOM**



BOĞAZIÇI

30x60 / 12"x24" - 45x45 / 18"x18"



30x60 cm.
BOĞAZIÇI White



45x45 cm.
BOĞAZIÇI White



30x60 cm.
BOĞAZIÇI Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance




30x60 / 12"x24"

DEEP




30x60 cm.
DEEP (RECTIFIED) Blue



30x60 cm.
DEEP (RECTIFIED) White



30x60 cm.
DEEP (RECTIFIED) Style Mix



30x60 cm.
DEEP (RECTIFIED) Black



30x60 cm.
DEEP (RECTIFIED) Super Black



30x60 cm.
DEEP (RECTIFIED) Ivory



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4



30x60 cm.
EMİRGAN Beige



45x45 cm.
EMİRGAN Beige



30x60 cm.
EMİRGAN Brown



30x60 / 12"x24" - 45x45 / 18"x18"

FEWA



30x60 cm.
FEWA Vendi



45x45 cm.
FEWA Vendi



30x60 cm.
FEWA DECOR Vendi



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

HEGZA

30x60 / 12"x24"



30x60 cm.
HEGZA (RECTIFIED) White




30x60 cm. **HEGZA**



MERKUR

30x60 / 12"x24"



30x60 cm.
MERKUR (RECTIFIED)



Otal
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance




Aynı Görünüm
Uniform Appearance



4

30x60 / 12"x24"

MOON



30x60 cm.
MOON (RECTIFIED) White



30x60 / 12"x24" - 45x45 / 18"x18"

MONA



30x60 cm.
MONA White



45x45 cm.
MONA White



30x60 cm.
MONA DISMONT DECOR White



30x60 cm.
MONA Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

NEW BRECCIA

30x60 / 12"x24" - 45x45 / 18"x18"



30x60 cm.
NEW BRECCIA White



45x45 cm.
NEW BRECCIA White



30x60 cm.
NEW BRECCIA DECOR White



30x60 cm.
NEW BRECCIA Olive



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

30x60 / 12"x24" - 45x45 / 18"x18"

NEW KENDAL



30x60 cm.
NEW KENDAL Bianco



45x45 cm.
NEW KENDAL Bianco



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

NEW TOROS

30x60 / 12"x24"



30x60 cm.
NEW TOROS White



30x60 cm.
NEW TOROS Beige



30x60 cm.
NEW TOROS DECOR Antracite




30x60 cm.
NEW TOROS DECOR Brown



30x60 cm.
NEW TOROS GEO DECOR Antracite



30x60 cm.
NEW TOROS GEO DECOR Brown



30x60 cm.
NEW TOROS Antracite



30x60 cm.
NEW TOROS Brown

45x45 / 18"x18"

NEW TOROS



45x45 cm.
NEW TOROS White



45x45 cm.
NEW TOROS Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karesi
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

NİL


30x60 / 12"x24" - 45x45 / 18"x18"



30x60 cm.
NİL White



30x60 cm.
NİL DECOR White



45x45 cm.
NİL White

PLUTON

30x60 / 12"x24"



30x60 cm.
PLUTON (RECTIFIED) White



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

30x60 cm. **DEEP**



PULPIS


30x60 / 12"x24" - 45x45 / 18"x18"



30x60 cm.
PULPIS White



30x60 cm.
PULPIS Bone



30x60 cm.
PULPIS GEO DECOR Grey



30x60 cm.
PULPIS GEO DECOR Moca



30x60 cm.
PULPIS Grey



30x60 cm.
PULPIS Moca



30x60 cm.
PULPIS DECOR Grey



30x60 cm.
PULPIS DECOR Moca



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60 / 12"x24" - 45x45 / 18"x18"

PULPIS



45x45 cm.
PULPIS White



45x45 cm.
PULPIS Bone



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

PYRAMID

30x60 / 12"x24"



30x60 cm.
PYRAMID (RECTIFIED) White



30x60 cm.
PYRAMID DOT (RECTIFIED) White



RETRO

30x60 / 12"x24"



30x60 cm.
RETRO (RECTIFIED)



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



30x60 cm.
SEYHAN Beige



30x60 cm.
SEYHAN Brown



30x60 cm.
SEYHAN DAMASCUS DECOR Brown



30x60 cm.
SEYHAN DECOR Brown



45x45 cm.
SEYHAN Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

SENA

30x60 / 12"x24"



30x60 cm.
SENA Super White



30x60 cm.
SENA Multi




30x60 cm.
SENA White



30x60 cm.
SENA Super Black

SPACE

30x60 / 12"x24"



30x60 cm.
SPACE (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Restoran, Cafe
Restaurant, Cafe



Duvar Karosu
Wall Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR TILES

30x60

60x60


60,5x60,5

60x120

**TERMAL
SERAMİK**

AIDEN

60x60 / 24"x24" - 60x120 / 24"x48"



60x120 cm.

AIDEN (FULL LAPPATO) (RECTIFIED)



60x60 cm.

AIDEN (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4




Full Lappato
Full Lappato

60x120 cm. **AKDENİZ**





60x120 cm.
AKDENİZ (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
AKDENİZ (FULL LAPPATO) (RECTIFIED) Black




60x120 cm.
AKDENİZ DECOR (FULL LAPPATO) (RECTIFIED)





60x60 cm.

AKDENİZ (HIGH GLOSSY) (RECTIFIED) White




60x60 cm.

AKDENİZ (HIGH GLOSSY) (RECTIFIED) Black



60x60 cm.


AKDENİZ (FULL LAPPATO) (RECTIFIED)
White

60x60 cm.

AKDENİZ (FULL LAPPATO) (RECTIFIED)
Black

60,5x60,5 cm.

AKDENİZ (HIGH GLOSSY) White




60,5x60,5 cm.

AKDENİZ (HIGH GLOSSY) Black

Otel
Hotelİş Merkezi, Ofis
Business CenterAlışveriş Merkezi
Shopping CenterKonut
ResidenceDış Cephe
FacadeRestoran, Cafe
Restaurant, CafeDış Mekan
OutsideYer Karosu
Floor TilesParlak Yüzey
Abrasion ResistanceÖnemli Farklılık
Moderate Variation

4

60x120 cm. AKDENİZ



60x60/ 24"x24" - 60x120/ 24"x48"

ALLEGRA



60x120 cm.

ALLEGRA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

ALLEGRA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




Ful Lappato
Full Lappato



4



60,5x60,5 cm.
AMAYA Ivory



60,5x60,5 cm.
AMAYA SAFE DECOR Ivory



60,5x60,5 cm
AMAYA LINE DECOR Ivory



60,5x60,5 cm
AMAYA FLOWER DECOR Ivory



60,5x60,5 cm
AMAYA GEO DECOR Ivory



60,5x60,5 cm
AMAYA RETRO DECOR Ivory

60,5x60,5 / 24"x24"

AMAYA



60,5x60,5 cm.
AMAYA Beige



60,5x60,5 cm.
AMAYA SAFE DECOR Beige



60,5x60,5 cm
AMAYA LINE DECOR Beige



60,5x60,5 cm
AMAYA FLOWER DECOR Beige



60,5x60,5 cm
AMAYA GEO DECOR Beige



60,5x60,5 cm
AMAYA RETRO DECOR Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4



Full Lappato
Full Lappato



60x120 cm.

AMAZON (FULL LAPPATO) (RECTIFIED) Bone



60x120 cm.

AMAZON (FULL LAPPATO) (RECTIFIED) Brown



60x120 cm.

AMAZON (FULL LAPPATO) (RECTIFIED) **DECOR**





60x60 cm.

AMAZON (HIGH GLOSSY) (RECTIFIED) Bone

60x60 cm.

AMAZON (HIGH GLOSSY) (RECTIFIED) Brown

60x60 cm.

AMAZON (FULL LAPPATO) (RECTIFIED) Bone

60x60 cm.

AMAZON (FULL LAPPATO) (RECTIFIED) Brown

60,5x60,5 cm.

AMAZON (HIGH GLOSSY) Bone

60,5x60,5 cm.

AMAZON (HIGH GLOSSY) BrownOtel
Hotelİş Merkezi, Ofis
Business CenterAlışveriş Merkezi
Shopping CenterKonut
ResidenceDış Cephe
FacadeRestoran, Cafe
Restaurant, CafeDış Mekan
OutsideYer Karosu
Floor TilesParlak Yüzey
Abrasion ResistanceÖnemli Farklılık
Moderate Variation

4

ANKARA

60x120/ 24"x48"



60x120 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Ivory



60x120 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Light Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Ful Lappato
Full Lappato


60x120/ 24"x48"

ANKARA



60x120 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Grey



60x120 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato

ANKARA

60x60 / 24"x24"



60x60 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Ivory



60x60 cm.

ANKARA (FULL LAPPATO) (RECTIFIED)
Light Grey



60x60 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Grey



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato

60x120/ 24"x48"

ANUSHKA



60x120 cm.

ANUSHKA (FULL LAPPATO) (RECTIFIED) Bone



60x120 cm.

ANUSHKA (FULL LAPPATO) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4



Full Lappato
Full Lappato

AQUA

60x120 / 24"x48"




60x120 cm.
AQUA (FULL LAPPATO) (RECTIFIED)



AREA

60x120/ 24"x48"



60x120 cm.
AREA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

ARROW



60x120 cm.

ARROW (FULL LAPPATO) (RECTIFIED)

60x120 cm. **ARROW**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

ARŞİPEL

60,5x60,5 / 24"x24"



60,5x60,5 cm.
ARŞİPEL (MAT) Beige



60,5x60,5 cm.
ARŞİPEL (MAT) Grey




60,5x60,5 cm.
ARŞİPEL (MAT) Greige



ASTRID

60x120 / 24"x48"



60x120 cm.
ASTRID (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles




Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4



60x120 cm.

AXELL (FULL LAPPATO) (RECTIFIED) Black



60x60 cm.

AXELL (FULL LAPPATO) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



Ful Lappato
Full Lappato



4



60x120 cm.
AZUL (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
AZUL (FULL LAPPATO) (RECTIFIED) Antracite



60x120 cm.
AZUL DECOR (FULL LAPPATO) (RECTIFIED)



60x120/ 24"x48"

AZUL



60x120 cm.

AZUL (FULL LAPPATO) (RECTIFIED) Blue



60x120 cm. **AZUL**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato



60x120 cm.
BASALTO (MAT) (RECTIFIED) Grey



60x120 cm.
BASALTO (MAT) (RECTIFIED) Light Grey



60x120 cm.
BASALTO (MAT) (RECTIFIED) Antracite



60x60/ 24"x24" - 60,5x60,5/ 24"x24"

BASALTO




60x60 cm.
BASALTO (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
BASALTO (MAT) Grey



60x60 cm.
BASALTO (MAT) (RECTIFIED) Light Grey



60,5x60,5 cm.
BASALTO (MAT) Light Grey



60x60 cm.
BASALTO (MAT) (RECTIFIED) Antracite



60,5x60,5 cm.
BASALTO (MAT) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

BIRMINGHAM

60x120/ 24"x48"



60x120 cm.
BIRMINGHAM (MAT) (RECTIFIED) Grey



60x120 cm.
BIRMINGHAM (MAT) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

60x60 / 24"x24"- 60,5x60,5 / 24"x24"

BIRMINGHAM



60x60 cm.
BIRMINGHAM (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
BIRMINGHAM (MAT) Grey



60x60 cm.
BIRMINGHAM (MAT) (RECTIFIED) Antracite



60,5x60,5 cm.
BIRMINGHAM (MAT) Antracite

60x120 / 24"x48"

BLOSSOM



60x120 cm.
BLOSSOM (FULL LAPPATO) (RECTIFIED) Blue



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

BOLERO

60x120/ 24"x48"



60x120 cm.

BOLERO (FULL LAPPATO) (RECTIFIED) Beige



60x120 cm.

BOLERO (FULL LAPPATO) (RECTIFIED) Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Ful Lappato
Full Lappato



60x60 cm.

BOLERO (HIGH GLOSSY) (RECTIFIED) Beige

60x60 cm.

BOLERO (HIGH GLOSSY) (RECTIFIED) Brown

60x60 cm.

BOLERO (FULL LAPPATO) (RECTIFIED)
Beige

60x60 cm.

BOLERO (FULL LAPPATO) (RECTIFIED)
Brown

60,5x60,5 cm.

BOLERO (HIGH GLOSSY) Beige

60,5x60,5 cm.

BOLERO (HIGH GLOSSY) BrownOtel
Hotelİş Merkezi, Ofis
Business CenterAlışveriş Merkezi
Shopping CenterKonut
ResidenceDış Cephe
FacadeRestoran, Cafe
Restaurant, CafeDış Mekan
OutsideYer Karosu
Floor TilesParlak Yüzey
Abrasion ResistanceÖnemli Farklılık
Moderate Variation

4

BRECCIA

60x120/24"x48"



60x120 cm.

BRECCIA (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

BRECCIA (FULL LAPPATO) (RECTIFIED) Olive



BUTTERFLY

30x60/12"x24"



30x60 cm.

BUTTERFLY (FULL LAPPATO) (RECTIFIED)



Otal
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato

60x120/ 24"x48"

BUTTERFLY



60x120 cm.

BUTTERFLY (FULL LAPPATO) (RECTIFIED)



60x120 cm.

BUTTERFLY DECOR 1 (FULL LAPPATO) (RECTIFIED)



60x120 cm.

BUTTERFLY DECOR 2 (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato

CALACATTA

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.

CALACATTA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

CALACATTA (HIGH GLOSSY) (RECTIFIED)



60x60 cm.

CALACATTA (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

CALACATTA (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"

CALACATTA



60x120 cm.

CALACATTA (MAT) (RECTIFIED)



60x60 cm.

CALACATTA (MAT) (RECTIFIED)



60,5x60,5 cm.

CALACATTA (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

CELESTE

60x60 / 24"x24"



60x60 cm.

CELESTE (FULL LAPPATO) (RECTIFIED)
Light Grey



60x60 cm.

CELESTE (FULL LAPPATO) (RECTIFIED)
Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Ful Lappato
Full Lappato

60x120/ 24"x48"

CHESTER



60x120 cm.

CHESTER (FULL LAPPATO) (RECTIFIED)



60x60 / 24"x24"-60x120/ 24"x48"

CHLOE



60x120 cm.

CHLOE (FULL LAPPATO) (RECTIFIED)



60x60 cm.

CHLOE (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato

CLOUD

60,5x60,5 / 24"x24"



60,5x60,5 cm.
CLOUD (HIGH GLOSSY) Blue



60,5x60,5 cm.
CLOUD (HIGH GLOSSY) Black




60x120 cm. **GORDION**





60x120 cm.
CONCRAITE (MAT) (RECTIFIED) Beige



60x120 cm.
CONCRAITE (MAT) (RECTIFIED) Greige



60x120 cm.
CONCRAITE (MAT) (RECTIFIED) Grey





60x60 cm.
CONCRAITE (MAT) (RECTIFIED) Beige



60,5x60,5 cm.
CONCRAITE (MAT) Beige



60x60 cm.
CONCRAITE (MAT) (RECTIFIED) Greige



60,5x60,5 cm.
CONCRAITE (MAT) Greige



60x60 cm.
CONCRAITE (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
CONCRAITE (MAT) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation



4

CONTESSA DAMA

30x60 / 12"x24" - 60x60 / 24"x24"
60,5x60,5 / 24"x24" - 60x120 / 24"x48"




60x120 cm.

CONTESSA DAMA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

CONTESSA DAMA
(FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

CONTESSA DAMA
(MAT)



30x60 cm.

CONTESSA DAMA
(FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60 / 12"x24" - 60x60 / 24"x24"
60x120 / 24"x48"

CONTESSA ORO



60x120 cm.

CONTESSA ORO (FULL LAPPATO) (RECTIFIED)



60x60 cm.

CONTESSA ORO
(FULL LAPPATO) (RECTIFIED)



30x60 cm.

CONTESSA ORO
(FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.

CRASI (FULL LAPPATO) (RECTIFIED) Bone



60x120 cm.

CRASI (FULL LAPPATO) (RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Ful Lappato
Full Lappato



60x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED) Bone



60x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED) White



30x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED) Bone



30x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato



60x120 cm.

CRASI (FULL LAPPATO) (RECTIFIED) Light Grey



60x120 cm.

CRASI (FULL LAPPATO) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Ful Lappato
Full Lappato



60x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED)
Light Grey



60x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED) Grey



30x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED)
Light Grey



30x60 cm.
CRASI (FULL LAPPATO) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato



60,5x60,5 cm.
ÇINAR (MAT) Bone



60,5x60,5 cm.
ÇINAR (MAT) White



60,5x60,5 cm..
ÇINAR (MAT) Wenge



60,5x60,5 cm.
ÇINAR (MAT) Ceviz



60,5x60,5 cm
ÇINAR (MAT) Meşe



60,5x60,5 cm.
ÇINAR (MAT) Gümüş

60x120/ 24"x48"

CUCINA



60x120 cm.

CUCINA (FULL LAPPATO) (RECTIFIED) Mix



60,5x60,5 / 24"x24"

DECK CHERRY



60,5x60,5 cm.

DECK CHERRY (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. **BUTTERFLY**



60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"

DREAM MARBLE



60x120 cm.
DREAM MARBLE (FULL LAPPATO) (RECTIFIED)



60x60 cm.
DREAM MARBLE (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
DREAM MARBLE (FULL LAPPATO)
(RECTIFIED)



60,5x60,5 cm.
DREAM MARBLE (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ECHO

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.

ECHO (FULL LAPPATO) (RECTIFIED)



60x60 cm.

ECHO (HIGH GLOSSY) (RECTIFIED)



60x60 cm.

ECHO (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

ECHO (HIGH GLOSSY)



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

60,5x60,5 / 24"x24"

EDNA



60,5x60,5 cm.
EDNA (HIGH GLOSSY) (MAT)

60x120 cm. **LINCOLN** - 60,5x60,5 cm. **EDNA**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4


ELBA

60x120/ 24"x48"



60x120 cm.

ELBA (FULL LAPPATO) (RECTIFIED) Grey



60x120 cm.

ELBA DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

60x60 / 24"x24"- 60,5x60,5 / 24"x24"

ELBA



60x60 cm.

ELBA (HIGH GLOSSY) (RECTIFIED) Grey



60x60 cm.

ELBA (FULL LAPPATO) (RECTIFIED) Grey



60,5x60,5 cm.

ELBA (HIGH GLOSSY) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

EMPARADOR

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"




60x120 cm.

EMPARADOR (FULL LAPPATO) (RECTIFIED) Brown



60x60 cm.

EMPARADOR (HIGH GLOSSY) (RECTIFIED) Brown



60x60 cm.

EMPARADOR (FULL LAPPATO) (RECTIFIED) Brown



60,5x60,5 cm.

EMPARADOR (HIGH GLOSSY) Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation



4

60x120 cm. **FRIGIA**



FELICITY

60x60 / 24"x24" - 60x120 / 24"x48"



60x120 cm.

FELICITY (FULL LAPPATO) (RECTIFIED)



60x60 cm.

FELICITY (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60 / 12"x24"- 60x60 / 24"x24"
60x120 / 24"x48"

FIONA



60x120 cm.

FIONA (FULL LAPPATO) (RECTIFIED)



60x120 cm.

FIONA DECOR (FULL LAPPATO) (RECTIFIED)



60x60 cm.

FIONA (FULL LAPPATO) (RECTIFIED)



30x60 cm.

FIONA (FULL LAPPATO) (RECTIFIED)



4

FIORD MARBLE


60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.
FIORD MARBLE (FULL LAPPATO) (RECTIFIED)



60x60 cm.
FIORD MARBLE (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
FIORD MARBLE (FULL LAPPATO)
(RECTIFIED)



60,5x60,5 cm.
FIORD MARBLE (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

FORME



60x120 cm.

FORME (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

FORME (FULL LAPPATO) (RECTIFIED) Blue



60x120 cm.

FORME DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.

FOSSIL (FULL LAPPATO) (RECTIFIED) Light Grey



60x120 cm.

FOSSIL (FULL LAPPATO) (RECTIFIED) Dark Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Ful Lappato
Full Lappato



60x60 cm.
FOSSIL (HIGH GLOSSY) (RECTIFIED)
Light Grey



60x60 cm.
FOSSIL (HIGH GLOSSY) (RECTIFIED)
Dark Grey



60x60 cm.
FOSSIL (FULL LAPPATO) (RECTIFIED)
Light Grey



60x60 cm.
FOSSIL (FULL LAPPATO) (RECTIFIED)
Dark Grey



60,5x60,5 cm.
FOSSIL (HIGH GLOSSY) Light Grey



60,5x60,5 cm.
FOSSIL (HIGH GLOSSY) Dark Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.
FOSSIL DECOR (FULL LAPPATO) (RECTIFIED)



60x120 cm.
FOSSIL (SEMI LAPPATO) (RECTIFIED) Light Grey



60x120 cm.
FOSSIL (SEMI LAPPATO) (RECTIFIED) Dark Grey



60x120 cm. **FOSSIL**




FRENCH STONE

60x120/ 24"x48"



60x120 cm.
FRENCH STONE (MAT) (RECTIFIED) Beige



60x120 cm.
FRENCH STONE (MAT) (RECTIFIED) Grey




60x60 / 24"x24" - 60,5x60,5 / 24"x24"

FRENCH STONE



60x60 cm.
FRENCH STONE (MAT) (RECTIFIED) Beige



60x60 cm.
FRENCH STONE (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
FRENCH STONE (MAT) Beige



60,5x60,5 cm.
FRENCH STONE (MAT) Grey



60,5x60,5 / 24"x24"

FREYA



60,5x60,5 cm.
FREYA (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.
FRIGIA (MAT) (RECTIFIED) Grey



60x120 cm.
FRIGIA (MAT) (RECTIFIED) White



60x120 cm.
FRIGIA NOVA DECOR (MAT) (RECTIFIED)



60x120/ 24"x48"

FRIGIA



60x120 cm.

FRIGIA (MAT) (RECTIFIED) Antracite



60x120 cm.

FRIGIA (MAT) (RECTIFIED) Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x60 cm.
FRIGIA (MAT) (RECTIFIED) Grey



60x60 cm.
FRIGIA (MAT) (RECTIFIED) White



60,5x60,5 cm.
FRIGIA (MAT) Grey



60,5x60,5 cm.
FRIGIA (MAT) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x60 cm.
FRIGIA (MAT) (RECTIFIED) Antracite



60x60 cm.
FRIGIA (MAT) (RECTIFIED) Taupe



60,5x60,5 cm.
FRIGIA (MAT) Antracite



60,5x60,5 cm.
FRIGIA (MAT) Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4


GABRIELLA

30x60 / 12"x24" - 60x60 / 24"x24"
60x120 / 24"x48"



60x120 cm.

GABRIELLA (FULL LAPPATO) (RECTIFIED) White



60x60 cm.

GABRIELLA (FULL LAPPATO)
(RECTIFIED) White



30x60 cm.

GABRIELLA (FULL LAPPATO)
(RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

60x120 cm. **KENDAL BIANCO** - 20x90 cm. **MOKUZAI OXFORD**




GALAXY

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"




60x120 cm.

GALAXY (FULL LAPPATO) (RECTIFIED)



60x60 cm.

GALAXY (HIGH GLOSSY) (RECTIFIED)



60x60 cm.

GALAXY (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

GALAXY (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

GOLD CALACATTA



60x120 cm.

GOLD CALACATTA (FULL LAPPATO) (RECTIFIED)



60x120/ 24"x48"

GORDION



60x120 cm.

GORDION (MAT) (RECTIFIED) White



60x120 cm.

GORDION (MAT) (RECTIFIED) Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

GRACE

30x30/12"x12"- 60x60 / 24"x24"



60x60 cm.

GRACE (SEMI LAPPATO) (RECTIFIED)



30x30 cm.

GRACE (SEMI LAPPATO) (RECTIFIED)




60x60 / 24"x24" - 60x120 / 24"x48"

GRANDE



60x120 cm.

GRANDE (FULL LAPPATO) (RECTIFIED)



60x120 cm.

GRANDE DECOR (FULL LAPPATO) (RECTIFIED)



60x60 cm.

GRANDE (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.
GRANI (FULL LAPPATO) (RECTIFIED) Pearl



60x120 cm.
GRANI (FULL LAPPATO) (RECTIFIED) Grey



60x120/24"x48"

HAZEL



60x120 cm.

HAZEL (FULL LAPPATO) (RECTIFIED)



60,5x60,5 / 24"x24"

HEGZA WOOD



60,5x60,5 cm.

HEGZA WOOD (MAT)



60,5x60,5 cm.

HEGZA WOOD DECOR (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

HELENA

60x120/ 24"x48"



60x120 cm.

HELENA (FULL LAPPATO) (RECTIFIED)



HİSAR

60x120/ 24"x48"



60x120 cm.

HİSAR (FULL LAPPATO) (RECTIFIED)



60x120 cm.

HİSAR DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Hiç Aşınmaz
Abrasion Resistance



Orta Farklılık
Moderate Variation

4

60x60 / 24"x24"- 60,5x60,5 / 24"x24"

HİSAR



60x60 cm.
HİSAR (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
HİSAR (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.
HİSAR (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

INDIA

60x60 / 24"x24" - 60x120 / 24"x48"



60x120 cm.
INDIA (FULL LAPPATO) (RECTIFIED)



60x60 cm.
INDIA (FULL LAPPATO) (RECTIFIED)



IRIS

60x120 / 24"x48"



60x120 cm.
IRIS (FULL LAPPATO) (RECTIFIED)




4

60x120 cm. ISABELLA




ISABELLA

60x60 / 24"x24" - 60x120 / 24"x48"



60x120 cm.

ISABELLA (FULL LAPATO) (RECTIFIED) White




60x120 cm.

ISABELLA (FULL LAPATO) (RECTIFIED) Grey



60x60 cm.

ISABELLA (HIGH GLOSSY) (RECTIFIED)
White



60x60 cm.

ISABELLA (HIGH GLOSSY) (RECTIFIED)
Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diğer Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğer Mekan
Outside



Yer Karosu
Floor Tiles



Parklık Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60,5x60,5 / 24"x24"- 60x120 / 24"x48"

ISABELLA




60x120 cm.

ISABELLA DECOR (FULL LAPATO) (RECTIFIED)



60,5x60,5 cm.

ISABELLA (HIGH GLOSSY) White



60,5x60,5 cm.

ISABELLA (HIGH GLOSSY) Grey



Otel
Hotel



Iş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles




Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation

4



60x120 cm.
ISLA (SEMI LAPPATO) (RECTIFIED) Grey




60x120 cm.
ISLA (SEMI LAPPATO) (RECTIFIED) Antracite




60x120/ 24"x48"

ISLA



60x120 cm.

ISLA (FULL LAPATO) (RECTIFIED) Grey



60x120 cm.

ISLA (FULL LAPATO) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

İSTANBUL

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.
İSTANBUL (FULL LAPPATO) (RECTIFIED)



60x60 cm.
İSTANBUL (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.
İSTANBUL (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. **HISAR**





60x120 cm.

İZMİR (FULL LAPPATO) (RECTIFIED) Beige



60x120 cm.

İZMİR (FULL LAPPATO) (RECTIFIED) Grey



60x60 cm.

İZMİR (FULL LAPPATO) (RECTIFIED)
Beige



60x60 cm.

İZMİR (FULL LAPPATO) (RECTIFIED)
Grey



Otıl
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24" - 60x120 / 24"x48"

İZMİR



60x120 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) Light Grey



60x60 cm.
İZMİR (FULL LAPPATO) (RECTIFIED)
White



60x60 cm.
İZMİR (FULL LAPPATO) (RECTIFIED)
Light Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

JENNIFER

30x60 / 12"x24" - 60x60 / 24"x24"
60x120 / 24"x48"



60x120 cm.
JENNIFER (FULL LAPPATO) (RECTIFIED)



60x60 cm.
JENNIFER (FULL LAPPATO) (RECTIFIED)



30x60 cm.
JENNIFER (FULL LAPPATO) (RECTIFIED)



60x60/ 24"x24" -60x120/ 24"x48"

JOY



60x120 cm.

JOY(FULL LAPPATO) (RECTIFIED)



60x60 cm.

JOY (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.
JULIA (FULL LAPPATO) (RECTIFIED) White



60x60 cm.
JULIA (FULL LAPPATO) (RECTIFIED)
White




60x60/ 24"x24"
60x120/ 24"x48"

JUNO STONE



60x120 cm.
JUNO STONE (RECTIFIED) White



60x120 cm.
JUNO STONE (RECTIFIED) Grey



60,5x60,5 cm.
JUNO STONE (RECTIFIED) White



60,5x60,5 cm.
JUNO STONE Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

KAPADOKYA

60,5x60,5 / 24"x24"



60,5x60,5 cm.
KAPADOKYA (HIGH GLOSSY)

KAİA

60x120 / 24"x48"



60x120 cm.
KAİA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. **CALACATTA**



KENDAL BIANCO

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.

KENDAL BIANCO (FULL LAPPATO) (RECTIFIED)



60x60 cm.

KENDAL BIANCO (HIGH GLOSSY) (RECTIFIED)



60x60 cm.

KENDAL BIANCO (FULL LAPPATO)
(RECTIFIED)



60,5x60,5 cm.

KENDAL BIANCO (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60 / 12"x24" - 60x120 / 24"x48"

KENDAL BIANCO



60x120 cm.

KENDAL FLOWER DECOR (FULL LAPPATO) (RECTIFIED)



30x60 cm.

KENDAL BIANCO (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.

KENT (MAT) (RECTIFIED) White



60x120 cm.

KENT (MAT) (RECTIFIED) Greige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

KENT



60x120 cm.

KENT (MAT) (RECTIFIED) Walnut



60x120 cm.

KENT (MAT) (RECTIFIED) Coffee Latte



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x60 cm.
KENT (MAT) (RECTIFIED) White



60x60 cm.
KENT (MAT) (RECTIFIED) Greige



60x60 cm.
KENT (MAT) (RECTIFIED) Walnut



60x60 cm.
KENT (MAT) (RECTIFIED) Coffee Latte



60,5x60,5 / 24"x24"

KENT



60,5x60,5 cm.
KENT (MAT) White



60,5x60,5 cm.
KENT (MAT) Greige



60,5x60,5 cm.
KENT (MAT) Walnut



60,5x60,5 cm.
KENT (MAT) Coffee Latte



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x60 cm.
LIFE (MAT) (RECTIFIED) White



60x60 cm.
LIFE (MAT) (RECTIFIED) Beige



60x60 cm.
LIFE (MAT) (RECTIFIED) Taupe



60x60 cm.
LIFE (MAT) (RECTIFIED) Moca



60x60 cm.
LIFE (MAT) (RECTIFIED) Grey



60x60 cm.
LIFE (MAT) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation



4



60,5x60,5 cm.
LIFE (MAT) White



60,5x60,5 cm.
LIFE (MAT) Beige



60,5x60,5 cm.
LIFE (MAT) Taupe



60,5x60,5 cm.
LIFE (MAT) Moca



60,5x60,5 cm.
LIFE (MAT) Grey



60,5x60,5 cm.
LIFE (MAT) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation



4

LIFE

30x60 / 12"x24"



30x60 cm.
LIFE (MAT) White



30x60 cm.
LIFE (MAT) Beige



30x60 cm.
LIFE (MAT) Taupe



30x60 cm.
LIFE (MAT) Moca



30x60 cm.
LIFE (MAT) Grey



30x60 cm.
LIFE (MAT) Black

LAYLA

60x120 / 24"x48"



60x120 cm.
LAYLA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation



4

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"

LINCOLN



60x120 cm.
LINCOLN (FULL LAPPATO) (RECTIFIED)



60x60 cm.
LINCOLN (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
LINCOLN (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.
LINCOLN (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.

LION (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

LION (FULL LAPPATO) (RECTIFIED) Grey



60x120/ 24"x48"

LUCY



60x120 cm.

LUCY (FULL LAPATO) (RECTIFIED) White



60x120 cm.

LUCY (FULL LAPATO) (RECTIFIED) Grey



60x120 cm.

LUCY DECOR (FULL LAPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.
LUNA (FULL LAPPATO) (RECTIFIED)



60x60 cm.
LUNA (FULL LAPPATO) (RECTIFIED)



60x60 / 24"x24" - 60x120 / 24"x48"

MADLINE



60x120 cm.

MADLINE (FULL LAPPATO) (RECTIFIED)



60x60 cm.

MADLINE (FULL LAPPATO) (RECTIFIED)




60,5x60,5 / 24"x24"

MADRA



60,5x60,5 cm.

MADRA (HIGH GLOSSY) White



60,5x60,5 cm.

MADRA (HIGH GLOSSY) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles




Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.
MAEVE (FULL LAPPATO) (RECTIFIED)



60x60 cm.
MAEVE (FULL LAPPATO) (RECTIFIED)



30x60 / 12"x24" - 60x60 / 24"x24" -
60x120 / 24"x48"

MANFREDO



60x120 cm.

MANFREDO (FULL LAPPATO) (RECTIFIED)



60x60 cm.

MANFREDO (FULL LAPPATO)
(RECTIFIED)



30x60 cm.

MANFREDO (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

TERMAL SERAMİK

MARGARITA

60x120/ 24"x48"



60x120 cm.

MARGARITA (FULL LAPATO) (RECTIFIED) White



60x120 cm.

MARGARITA (FULL LAPATO) (RECTIFIED) Black



60x120 cm.

MARGARITA DECOR (FULL LAPATO) (RECTIFIED)



30x60/12"x24"- 60x60/24"x24"
60x120/24"x48"

MARGOT



60x120 cm.

MARGOT (FULL LAPPATO) (RECTIFIED)



60x60 cm.

MARGOT (FULL LAPPATO) (RECTIFIED)



30x60 cm.

MARGOT (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

MARMO BIANCO

60x120/ 24"x48"



60x120 cm.
MARMO BIANCO (MAT) (RECTIFIED)



60x120 cm. **URANUS**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation




4

60x60 / 24"x24" - 60,5x60,5 / 24"x24"
60x120 / 24"x48"


MARMO NERO



60x120 cm.
MARMO NERO (FULL LAPPATO) (RECTIFIED)



60x60 cm.
MARMO NERO (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
MARMO NERO (FULL LAPPATO)
(RECTIFIED)



60,5x60,5 cm.
MARMO NERO (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

MARVELLA

60x120/ 24"x48"



60x120 cm.

MARVELLA (FULL LAPPATO) (RECTIFIED)



60x120 cm. **FORME**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation


4

60x60 / 24"x24"
60,5x60,5 / 24"x24"

MAT



60x60 cm.
MAT KREM (MAT) (RECTIFIED)



60,5x60,5 cm.
MAT KREM (MAT)




60x60 / 24"x24"
60,5x60,5 / 24"x24"


PARLAK




60x60 cm.
PARLAK KREM (HIGH GLOSSY) (RECTIFIED)



60,5x60,5 cm.
PARLAK KREM (HIGH GLOSSY)



60x60 cm.
PARLAK BEYAZ (HIGH GLOSSY) (RECTIFIED)



60,5x60,5 cm.
PARLAK BEYAZ (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4



60x120 cm.
MERLIN (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
MERLIN (FULL LAPPATO) (RECTIFIED) Beige



60x120 cm.
MERLIN (FULL LAPPATO) (RECTIFIED) Brown



60x120/ 24"x48"

MERLIN




60x120 cm.

MERLIN DECOR (FULL LAPPATO) (RECTIFIED)



60x120/ 24"x48"

MIA



60x120 cm.

MIA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

MICHIGAN

60x120/ 24"x48"



60x120 cm.
MICHIGAN (MAT) (RECTIFIED) White



60x120 cm.
MICHIGAN (MAT) (RECTIFIED) Beige



60x120 cm.
MICHIGAN (MAT) (RECTIFIED) Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

60x60 / 24"x24" - 60x120 / 24"x48"

MICHIGAN



60x120 cm.

MICHIGAN (MAT) (RECTIFIED) Grey



60x60 cm.

MICHIGAN (MAT) (RECTIFIED) Beige



60x60 cm.

MICHIGAN (MAT) (RECTIFIED) Taupe



60x60 cm.

MICHIGAN (MAT) (RECTIFIED) White



60x60 cm.

MICHIGAN (MAT) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4


MISSISSIPPI

60x120/ 24"x48"



60x120 cm.

MISSISSIPPI (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

MISSISSIPPI (FULL LAPPATO) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4

60x60 / 24"x24" - 60,5x60,5 / 24"x24"

MISSISSIPPI




60x60 cm.
MISSISSIPPI (HIGH GLOSSY) (RECTIFIED)
White



60x60 cm.
MISSISSIPPI (HIGH GLOSSY) (RECTIFIED)
Grey




60x60 cm.
MISSISSIPPI (FULL LAPPATO)
(RECTIFIED) White



60x60 cm.
MISSISSIPPI (FULL LAPPATO)
(RECTIFIED) Grey



60,5x60,5 cm.
MISSISSIPPI (HIGH GLOSSY) White



60,5x60,5 cm.
MISSISSIPPI (HIGH GLOSSY) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

MONT BLANC

60x60 / 24"x24"- 60,5x60,5 / 24"x24"



60x60 cm.
MONT BLANC (MAT) (RECTIFIED)



60x60 cm.
**MONT BLANC (FULL LAPPATO)
(RECTIFIED)**



60,5x60,5 cm.
MONT BLANC (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60,5x60,5 cm. HEGZA WOOD





60x120 cm.

MONTGOMERY (FULL LAPPATO) (RECTIFIED) Black




60x120 cm.

MONTGOMERY (MAT) (RECTIFIED) Black



60x60 cm.

MONTGOMERY (FULL LAPPATO) (RECTIFIED) Black



60x60 cm.

MONTGOMERY (MAT) (RECTIFIED) Black



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

60x120 cm. **MONTGOMERY BLACK** - 20x90 cm. **PEGAWOOD MIX**





60x120 cm.

MORGAN (FULL LAPPATO) (RECTIFIED) Beige



60x120 cm.

MORGAN (FULL LAPPATO) (RECTIFIED) Grey



60x120/ 24"x48"

MYRA



60x120 cm.

MYRA (FULL LAPPATO) (RECTIFIED) White



60x120 cm. FOSSIL - 20x90 cm. MOKUZAI SHIRO



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Hafif Farklılık
Slight Variation


4




60x120 cm.
NEPTUN (FULL LAPPATO) (RECTIFIED)



60x60 cm.
NEPTUN (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
NEPTUN (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.
NEPTUN (HIGH GLOSSY)

60x120 cm. **NEPTUN**



NEW CARRARA

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.
NEW CARRARA (FULL LAPPATO) (RECTIFIED)



60x60 cm.
NEW CARRARA (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
NEW CARRARA (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.
NEW CARRARA (HIGH GLOSSY)



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

NEW CHERRY



60x120 cm.

NEW CHERRY (FULL LAPPATO) (RECTIFIED)



60x120 cm. **AKDENİZ** - 20x90 cm. **ALNO WALNUT**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

NEW YORK

60,5x60,5 / 24"x24"



60,5x60,5 cm.
NEW YORK (MAT) Bone

NIAGARA

60x120/ 24"x48"



60x120 cm.
NIAGARA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

60x120 cm. **FIONA**



NORDICHE

60x120/ 24"x48"



60x120 cm.

NORDICHE (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

NORDICHE (FULL LAPPATO) (RECTIFIED) Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Park Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

NORDICHE



60x120 cm.

NORDICHE (FULL LAPPATO) (RECTIFIED) Grey



60x120 cm.

NORDICHE (FULL LAPPATO) (RECTIFIED) Moca



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x60 cm.
NORDICHE (FULL LAPPATO)
(RECTIFIED) White



60x60 cm.
NORDICHE (FULL LAPPATO)
(RECTIFIED) Beige



60x60 cm.
NORDICHE (FULL LAPPATO)
(RECTIFIED) Grey



60x60 cm.
NORDICHE (FULL LAPPATO)
(RECTIFIED) Moca



60,5x60,5 / 24"x24"

NORDICHE



60,5x60,5 cm.
NORDICHE (HIGH GLOSSY) White



60,5x60,5 cm.
NORDICHE (HIGH GLOSSY) Beige



60,5x60,5 cm.
NORDICHE (HIGH GLOSSY) Grey



60,5x60,5 cm.
NORDICHE (HIGH GLOSSY) Moca



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

NOTTI

60x120/ 24"x48"



60x120 cm.

NOTTI (RECTIFIED) (MAT)



NOVARA

60x120/ 24"x48"




60x120 cm.

NOVARA (FULL LAPPATO) (RECTIFIED) Bianco



60x120/ 24"x48"

OCEAN



60x120 cm.

OCEAN (FULL LAPPATO) (RECTIFIED)



60x120 cm.

OCEAN SALERNO DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4



60x120 cm.

OLIMPIA (FULL LAPPATO) (RECTIFIED) Black



60x60 cm.

OLIMPIA (FULL LAPPATO) (RECTIFIED)
Black





60x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
White

60x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
Ivory

30x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
White

30x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
Ivory

60x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
Cool Grey

60x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
Antracite

30x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
Cool Grey

30x60 cm.

ODETTE (FULL LAPPATO) (RECTIFIED)
AntraciteOtel
Hotelİş Merkezi, Ofis
Business CenterAlışveriş Merkezi
Shopping CenterKonut
ResidenceDış Cephe
FacadeRestoran, Cafe
Restaurant, CafeDış Mekan
OutsideYer Karosu
Floor TilesParlak Yüzey
Abrasion ResistanceÖnemli Farklılık
Moderate Variation

4



60x120 cm.
ONISE (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
ONISE (FULL LAPPATO) (RECTIFIED) Grey



60x60 / 24"x24" - 60x120/ 24"x48"

OPHELIA



60x120 cm.

OPHELIA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

OPHELIA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

ORION

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"



60x120 cm.

ORION (FULL LAPPATO) (RECTIFIED)



60x60 cm.

ORION (HIGH GLOSSY) (RECTIFIED)



60x60 cm.

ORION (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

ORION (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

ORION



60x120 cm.

ORION DECOR (FULL LAPPATO) (RECTIFIED)



60x120/ 24"x48"

ÖYKÜ



60x120 cm.

ÖYKÜ (FULL LAPPATO) (RECTIFIED)



60x120 cm.

ÖYKÜ DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

PANDORA

60x120/ 24"x48"



60x120 cm.

PANDORA (FULL LAPPATO) (RECTIFIED)



60x120 cm. ÖYKÜ



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

30x60 / 12"x24" - 60x60 / 24"x24"
60x120 / 24"x48"

PENELOPE




60x120 cm.

PENELOPE (FULL LAPPATO) (RECTIFIED)



60x60 cm.

PENELOPE (FULL LAPPATO) (RECTIFIED)



30x60 cm.

PENELOPE (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

PEREGRINE

60x120/ 24"x48"



60x120 cm.

PEREGRINE (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

PEREGRINE (FULL LAPPATO) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Yerli/Yabancı
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24"

PEREGRINE



60x60 cm.
PEREGRINE (FULL LAPPATO)
(RECTIFIED) White



60x60 cm.
PEREGRINE (FULL LAPPATO)
(RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

PONTE

60x120/ 24"x48"



60x120 cm.
PONTE (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
PONTE (FULL LAPPATO) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles




Park Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation




4




60x60 cm.

PONTE (HIGH GLOSSY) (RECTIFIED) White


60x60 cm.

PONTE (HIGH GLOSSY) (RECTIFIED) Black

60x60 cm.

PONTE (FULL LAPPATO) (RECTIFIED)
White

60x60 cm.

PONTE (FULL LAPPATO) (RECTIFIED)
Black

60,5x60,5 cm.

PONTE (HIGH GLOSSY) White

60,5x60,5 cm.

PONTE (HIGH GLOSSY) BlackOtel
Hotelİş Merkezi, Ofis
Business CenterAlışveriş Merkezi
Shopping CenterKonut
ResidenceDış Cephe
FacadeRestoran, Cafe
Restaurant, CafeDış Mekan
OutsideYer Karosu
Floor TilesParlak Yüzey
Abrasion ResistanceÖnemli Farklılık
Moderate Variation



60x120 cm.
QUANTUM (MAT) (RECTIFIED) White



60x120 cm.
QUANTUM (MAT) (RECTIFIED) Grey



60x120 cm.
QUANTUM (MAT) (RECTIFIED) Antracite



60x60 / 24"x24" - 60,5x60,5 / 24"x24"

QUANTUM



60x60 cm.
QUANTUM (MAT) (RECTIFIED) White



60,5x60,5 cm.
QUANTUM (MAT) White



60x60 cm.
QUANTUM (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
QUANTUM (MAT) Grey



60x60 cm.
QUANTUM (MAT) (RECTIFIED) Antracite



60,5x60,5 cm.
QUANTUM (MAT) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

RACHEL

60x120/ 24"x48"



60x120 cm.

RACHEL (FULL LAPPATO) (RECTIFIED) Beige



60x120 cm.

RACHEL (FULL LAPPATO) (RECTIFIED) Brown



60x120 cm.

RACHEL DECOR (FULL LAPPATO) (RECTIFIED)



60x120/ 24"x48"

RENATE



60x120 cm.

RENATE (FULL LAPPATO) (RECTIFIED)



60x120 cm. **RACHEL**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

REX CARRARA

30x60 / 12"x24" - 60x60 / 24"x24"
60x120 / 24"x48"



60x120 cm.

REX CARRARA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

REX CARRARA (FULL LAPPATO)
(RECTIFIED)



30x60 cm.

REX CARRARA (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. **RIMINI**





60x120 cm.
RIMINI (MAT) (RECTIFIED) Grey



60x120 cm.
RIMINI (MAT) (RECTIFIED) Antracite



60x120 cm.
RIMINI (SEMI LAPPATO) (RECTIFIED) Grey



30x60/12"x24"- 45x45/18"x18"
60x60/24"x24" - 60,5x60,5/24"x24"

RIMINI



60x120 cm.
RIMINI (SEMI LAPPATO) (RECTIFIED) Antracite



60,5x60,5 cm.
RIMINI (MAT) Grey



60,5x60,5 cm.
RIMINI (MAT) Antracite



30x60 cm.
RIMINI (MAT) Grey



45x45 cm.
RIMINI Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.
RIMINI SOL DECOR (RECTIFIED)



60x120 cm.
RIMINI ORTA DECOR (RECTIFIED)



60x120 cm.
RIMINI SAĞ DECOR (RECTIFIED)



60x120 cm. **RIMINI**





60x120 cm.

SAKARYA (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

SAKARYA (FULL LAPPATO) (RECTIFIED) Grey



60x120 cm.

SAKARYA (FULL LAPPATO) (RECTIFIED) Black



60x60 / 24"x24"

SAKARYA



60x60 cm.
SAKARYA (HIGH GLOSSY) (RECTIFIED) White 



60x60 cm.
SAKARYA (FULL LAPPATO) (RECTIFIED)  
White



60x60 cm.
SAKARYA (HIGH GLOSSY) (RECTIFIED) Grey 



60x60 cm.
SAKARYA (FULL LAPPATO) (RECTIFIED)  
Grey



60x60 cm.
SAKARYA (HIGH GLOSSY) (RECTIFIED) Black 



60x60 cm.
SAKARYA (FULL LAPPATO) (RECTIFIED)  
Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.

SAKARYA DECOR (FULL LAPPATO) (RECTIFIED)



60x120 cm.

SAKARYA (SEMI LAPPATO) (RECTIFIED) White



60x120/ 24"x48"

SAKARYA



60x120 cm.

SAKARYA (SEMI LAPPATO) (RECTIFIED) Grey



60x120 cm.

SAKARYA (SEMI LAPPATO) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60,5x60,5 cm.
SAKARYA (HIGH GLOSSY) White



60,5x60,5 cm.
SAKARYA (HIGH GLOSSY) Grey



60,5x60,5 cm.
SAKARYA (HIGH GLOSSY) Black

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"

SALERNO



60x120 cm.

SALERNO (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

SALERNO (HIGH GLOSSY)



60x60 cm.

SALERNO (HIGH GLOSSY) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

SANTA FE

60x120/ 24"x48"



60x120 cm.
SANTA FE (MAT) (RECTIFIED) Grey



60x120 cm.
SANTA FE (MAT) (RECTIFIED) Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



60x120/ 24"x48"

SANTA FE



60x120 cm.

SANTA FE (MAT) (RECTIFIED) Sand Beige



60x120 cm.

SANTA FE (MAT) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

SANTA FE

60x60 / 24"x24"



60x60 cm.

SANTA FE (MAT) (RECTIFIED) Grey



60x60 cm.

SANTA FE (MAT) (RECTIFIED) Taupe



60x60 cm.

SANTA FE (MAT) (RECTIFIED) Sand Beige



60x60 cm.

SANTA FE (MAT) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



60,5x60,5 / 24"x24"

SANTA FE




60,5x60,5 cm.
SANTA FE (MAT) Grey



60,5x60,5 cm.
SANTA FE (MAT) Taupe



60,5x60,5 cm.
SANTA FE (MAT) Sand Beige



60,5x60,5 cm.
SANTA FE (MAT) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

SARA

60x60 / 24"x24" - 60,5x60,5 / 24"x24"



60x60 cm.
SARA (MAT) (RECTIFIED) Beige



60,5x60,5 cm.
SARA (MAT) Beige

SCARLET

60x120 / 24"x48"



60x120 cm.
SCARLET (FULL LAPPATO) (RECTIFIED) White



60x120 cm.
SCARLET (FULL LAPPATO) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles




Mat Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation

60,5x60,5 / 24"x24"

SERAPIS



60,5x60,5 cm.
SERAPIS (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Hafif Farklılık
Slight Variation

4

SEREPHINA

30x60 / 12"x24"-60x60 / 24"x24"
60x120 / 24"x48"



60x120 cm.

SEREPHINA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

SEREPHINA (FULL LAPPATO)
(RECTIFIED)



30x60 cm.

SEREPHINA (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4


60x120/ 24"x48"

SETH



60x120 cm.

SETH (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

SETH (FULL LAPPATO) (RECTIFIED) Black



60x120 cm.

SETH DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

SOFIA

60x120/ 24"x48"



60x120 cm.
SOFIA (FULL LAPPATO) (RECTIFIED)




SPECIA

60x60 / 24"x24" - 60x120/ 24"x48"



60x120 cm.
SPECIA (FULL LAPPATO) (RECTIFIED)



60x60 cm.
SPECIA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

60x120 cm. **OCEAN** - 60x120 cm. **SALERNO**




SLATE

60x120/ 24"x48"



60x120 cm.

SLATE (MAT) (RECTIFIED) White



60x120 cm.

SLATE (MAT) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24" - 60,5x60,5 / 24"x24"

SLATE



60x60 cm.
SLATE (MAT) (RECTIFIED) White



60,5x60,5 cm.
SLATE (MAT) White



60x60 cm.
SLATE (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
SLATE (MAT) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

STONE

60x120/ 24"x48"



60x120 cm.
STONE (MAT) (RECTIFIED) Beige



60x120 cm.
STONE (MAT) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24" - 60,5x60,5 / 24"x24"

STONE



60x60 cm.
STONE (MAT) (RECTIFIED) Beige



60,5x60,5 cm.
STONE (MAT) Beige



60x60 cm.
STONE (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
STONE (MAT) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

STONE

60x120/ 24"x48"



60x120 cm.

STONE (MAT) (RECTIFIED) Light Grey



60x120 cm.

STONE (MAT) (RECTIFIED) Dark Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24 - 60,5x60,5 / 24"x24"

STONE



60x60 cm.
STONE (MAT) (RECTIFIED) Light Grey



60,5x60,5 cm.
STONE (MAT) Light Grey



60x60 cm.
STONE (MAT) (RECTIFIED) Dark Grey



60,5x60,5 cm.
STONE (MAT) Dark Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

STONE

30x60 / 12"x24" - 45x45 / 18"x18"



30x60 cm.
STONE (MAT) Beige




45x45 cm.
STONE (MAT) Beige



30x60 cm.
STONE (MAT) Grey




45x45 cm.
STONE (MAT) Grey



30x60 cm.
STONE (MAT) Light Grey



45x45 cm.
STONE (MAT) Light Grey



30x60 cm.
STONE (MAT) Dark Grey




45x45 cm.
STONE (MAT) Dark Grey

60x120 cm. **STONE**




SUPER

60x60 / 24"x24" - 60x120 / 24"x48"




60x120 cm.

SUPER BLACK (FULL LAPPATO) (RECTIFIED)



60x60 cm.

SUPER BLACK (FULL LAPPATO)
(RECTIFIED)



60x60 cm.

SUPER WHITE (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



60x120/ 24"x48"

SWISS RHONE



60x120 cm.

SWISS RHONE (FULL LAPPATO) (RECTIFIED)



60x120 cm.

SWISS RHONE DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

SWISS RHONE

30x60 / 12"x24" - 60x60 / 24"x24"
60,5x60,5 / 24"x24"



60x60 cm.
SWISS RHONE (FULL LAPPATO)
(RECTIFIED)



60,5x60,5 cm.
SWISS RHONE (HIGH GLOSSY)



30x60 cm.
SWISS RHONE (FULL LAPPATO)
(RECTIFIED)




30x60 cm.
SWISS RHONE (MAT)
(FULL LAPPATO)



SUPERIOR

60x120 / 24"x48"



60x120 cm.
SUPERIOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

TABITHA



60x120 cm.

TABITHA (FULL LAPPATO) (RECTIFIED)



60x120 cm. **SWISS RHONE**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.
THOR (MAT) (RECTIFIED) Grey



60x120 cm.
THOR (MAT) (RECTIFIED) Antracite



60x120 cm.
THOR (MAT) (RECTIFIED) Lead



60x60 / 24"x24" - 60,5x60,5 / 24"x24"

THOR



60x60 cm.
THOR (MAT) (RECTIFIED) Grey



60,5x60,5 cm.
THOR (MAT) Grey



60x60 cm.
THOR (MAT) (RECTIFIED) Antracite



60,5x60,5 cm.
THOR (MAT) Antracite



60x60 cm.
THOR (MAT) (RECTIFIED) Lead



60,5x60,5 cm.
THOR (MAT) Lead



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4


TOROS

60x120/ 24"x48"



60x120 cm.

TOROS (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

TOROS (FULL LAPPATO) (RECTIFIED) Antracite



TIZIANA

60x120/ 24"x48"



60x120 cm.

TIZIANA (FULL LAPPATO) (RECTIFIED)



4

30x60 / 12"x24" - 60x60 / 24"x24" -
60x120 / 24"x48"

TRU MARMİ



60x120 cm.

TRU MARMİ (FULL LAPPATO) (RECTIFIED)



60x60 cm.

TRU MARMİ (FULL LAPPATO)
(RECTIFIED)



30x60 cm.

TRU MARMİ (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Korusu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4


ULTRA

60x60 / 24"x24" - 60x120 / 24"x48"



60x120 cm.

ULTRA (FULL LAPPATO) (RECTIFIED) White



60x60 cm.

ULTRA (FULL LAPPATO) (RECTIFIED)
White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

UNIVERSE



60x120 cm.

UNIVERSE (FULL LAPPATO) (RECTIFIED) Blue



60x120 cm.

UNIVERSE (FULL LAPPATO) (RECTIFIED) Turquoise



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4


URANUS

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"




60x120 cm.

URANUS (FULL LAPPATO) (RECTIFIED)




60x60 cm.

URANUS (HIGH GLOSSY) (RECTIFIED)



60x60 cm.

URANUS (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.

URANUS (HIGH GLOSSY)



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x60 / 24"x24"- 60,5x60,5 / 24"x24"
60x120 / 24"x48"

URLA



60x120 cm.
URLA (FULL LAPPATO) (RECTIFIED)



60x60 cm.
URLA (HIGH GLOSSY) (RECTIFIED)



60x60 cm.
URLA (FULL LAPPATO) (RECTIFIED)



60,5x60,5 cm.
URLA (HIGH GLOSSY)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

VALENTINA

60x60 / 24"x24" - 60x120/ 24"x48"



60x120 cm.

VALENTINA (FULL LAPPATO) (RECTIFIED)



60x60 cm.

VALENTINA (FULL LAPPATO)
(RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. **SALERNO**




VALENCIA

60x120/ 24"x48"



60x120 cm.

VALENCIA (FULL LAPPATO) (RECTIFIED) Black



60x120 cm.

VALENCIA (FULL LAPPATO) (RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzeyi
Abrasion Resistance




Önemli Farklılık
Moderate Variation

60x60 / 24"x24" - 60,5x60,5 / 24"x24"

VALENCIA



60x60 cm.
VALENCIA(HIGH GLOSSY) (RECTIFIED)
Black



60,5x60,5 cm.
VALENCIA(HIGH GLOSSY)
Black



60x60 cm.
VALENCIA(HIGH GLOSSY) (RECTIFIED)
White



60,5x60,5 cm.
VALENCIA(HIGH GLOSSY)
White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

VENETO

60x120/ 24"x48"



60x120 cm.

VENETO (FULL LAPPATO) (RECTIFIED) Gold



60x120 cm.

VENETO (FULL LAPPATO) (RECTIFIED) Silver



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzeyi
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4



60x60 cm.
VENETO (FULL LAPPATO) (RECTIFIED)
 Gold



60x60 cm.
VENETO (FULL LAPPATO) (RECTIFIED)
 Silver



30x60 cm.
VENETO (FULL LAPPATO) (RECTIFIED)
 Gold



30x60 cm.
VENETO (FULL LAPPATO) (RECTIFIED)
 Silver



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles




Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x120 cm.

VIVANTE (FULL LAPPATO) (RECTIFIED)



60x60 cm.

VIVANTE (FULL LAPPATO) (RECTIFIED)



TERMAL SERAMİK

TEZGAH ARASI
PORSELEN
KAROLAR
DIGITAL GLAZED
PORCELAIN
FLOOR TILES

60x120

TERMAL
SERAMİK

BEYLERBEYİ

60x120/24"x48"



60x120 cm.

BEYLERBEYİ MIX (FULL LAPPATO) (RECTIFIED)



EMİRGAN

60x120/24"x48"



60x120 cm.

EMİRGAN (FULL LAPPATO) (RECTIFIED) Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120/ 24"x48"

BOĞAZIÇI



60x120 cm.

BOĞAZIÇI (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

BOĞAZIÇI (FULL LAPPATO) (RECTIFIED) Black



60x120 cm.

BOĞAZIÇI (FULL LAPPATO) (RECTIFIED) Mix



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles




Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



60x120 cm.

SENA (FULL LAPPATO) (RECTIFIED) White



60x120 cm.

SENA (FULL LAPPATO) (RECTIFIED) Multi



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR TILES

75x150

**TERMAL
SERAMİK**

ADELAIDE

75x150/ 30"x60"



75x150 cm.

ADELAIDE (FULL LAPPATO) (RECTIFIED)



75x150 cm.

ADELAIDE BUTTERFLY DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

75x150/30"x60"

AREA CARRARA



75x150 cm.

AREA CARRARA (FULL LAPPATO) (RECTIFIED)



75x150/30"x60"

BRISBANE



75x150 cm.

BRISBANE (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

CHLOE

75x150/30"x60"



75x150 cm.
CHLOE (FULL LAPPATO) (RECTIFIED)



CORA

75x150/30"x60"



75x150 cm.
CORA BLACK (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



Full Lappato
Full Lappato

75x150/ 30"x60"

FRIGIA



75x150 cm.

FRIGIA (MAT) (RECTIFIED) White



75x150 cm.

FRIGIA (MAT) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



75x150 cm.

FRIGIA (MAT) (RECTIFIED) Antracite



75x150 cm.

FRIGIA (MAT) (RECTIFIED) Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

75x150/ 30"x60"

GRANDE



75x150 cm.

GRANDE (FULL LAPPATO) (RECTIFIED)



75x150/ 30"x60"

HELENA



75x150 cm.

HELENA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

HOPE

75x150/30"x60"



75x150 cm.

HOPE (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Park Yüzeyi
Abrasion Resistance




Önemli Farklılık
Moderate Variation




4

75x150/ 30"x60"

ISLA



75x150 cm.
ISLA (MAT) (RECTIFIED) Grey



75x150 cm.
ISLA (MAT) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

KENDAL KESTON

75x150/ 30"x60"



75x150 cm.

KENDAL KESTON (FULL LAPPATO) (RECTIFIED)



LUNA

75x150/ 30"x60"



75x150 cm.

LUNA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4


75x150/ 30"x60"

MARVELLA



75x150 cm.

MARVELLA (FULL LAPPATO) (RECTIFIED)



75x150 cm.

MARVELLA BUTTERFLY DECOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

NIAGARA

75x150/30"x60"



75x150 cm.
NIAGARA (FULL LAPPATO) (RECTIFIED)



OLIMPIA

75x150/30"x60"



75x150 cm.
OLIMPIA BLACK (FULL LAPPATO) (RECTIFIED)



75x150/ 30"x60"

ORLANDO



75x150 cm.

ORLANDO (FULL LAPPATO) (RECTIFIED)



75x150/ 30"x60"

PARIS



75x150 cm.

PARIS (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

PENELOPE

75x150/ 30"x60"



75x150 cm.

PENELOPE (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Park Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

75x150/ 30"x60"

RIMINI



75x150 cm.

RIMINI (MAT) (RECTIFIED) Grey



75x150 cm.

RIMINI (MAT) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

TAYLOR

75x150/ 30"x60"



75x150 cm.

TAYLOR (FULL LAPPATO) (RECTIFIED)



TRU MARMİ

75x150/ 30"x60"



75x150 cm.

TRU MARMİ (FULL LAPPATO) (RECTIFIED)



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4


75x150/ 30"x60"

VENETO



75x150 cm.

VENETO (FULL LAPPATO) (RECTIFIED) Gold



75x150 cm.

VENETO (FULL LAPPATO) (RECTIFIED) Silver



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

VIVANTE

75x150/30"x60"



75x150 cm.

VIVANTE (FULL LAPPATO) (RECTIFIED)



ZAIRE

75x150/30"x60"



75x150 cm.

ZAIRE (FULL LAPPATO) (RECTIFIED)



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR TILES

60x60x2cm

60x90x2cm

60x120x2cm

THICK TILE

**TERMAL
SERAMİK**

BASALTO (2cm)

60x60x2 / 24"x24"



60x60x2 cm.

BASALTO (MAT) (RECTIFIED) Light Grey



60x60x2 cm.

BASALTO (MAT) (RECTIFIED) Dark Grey



60x60x2 cm.

BASALTO (MAT) (RECTIFIED) Antracite



60x90x2 / 24"x36"

BASALTO (2cm)



60x90x2 cm.

BASALTO (MAT) (RECTIFIED) Light Grey



60x90x2 cm.

BASALTO (MAT) (RECTIFIED) Dark Grey



60x90x2 cm.

BASALTO (MAT) (RECTIFIED) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

CHATSWORTH (2cm)

60x60x2 / 24"x24"



60x60x2 cm.
CHATSWORTH (MAT) (RECTIFIED)
Light Grey



60x60x2 cm.
CHATSWORTH (MAT) (RECTIFIED)
Dark Grey



60x60x2 cm.
CHATSWORTH (MAT) (RECTIFIED) Ivory



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x90x2 / 24"x36"

CHATSWORTH (2cm)



60x90x2 cm.

CHATSWORTH (MAT) (RECTIFIED) Light Grey



60x90x2 cm.

CHATSWORTH (MAT) (RECTIFIED) Antracite



60x90x2 cm.

CHATSWORTH (MAT) (RECTIFIED) Ivory



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

QUANTUM (2cm)

60x60x2 / 24"x24"




60x60x2 cm.

QUANTUM (MAT) (RECTIFIED) Carbon




HARLOW (2cm)

60x60x2 / 24"x24"



60x60x2 cm.

HARLOW (MAT) (RECTIFIED) Grey



60x60x2 cm.

HARLOW (MAT) (RECTIFIED) Beige



60x60x2 cm.

HARLOW (MAT) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x90x2 / 24"x36"

HARLOW (2cm)



60x90x2 cm.
HARLOW (MAT) (RECTIFIED) Grey



60x90x2 cm.
HARLOW (MAT) (RECTIFIED) Beige



60x90x2 cm.
HARLOW (MAT) (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

HARMONIE (2cm)

60x60x2 / 24"x24"



60x60x2 cm.
HARMONIE (RECTIFIED) Ivory



60x60x2 cm.
HARMONIE (RECTIFIED) Taupe



60x60x2 cm.
HARMONIE (RECTIFIED) Light Grey



Oteli
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x90x2 / 24"x36"

HARMONIE (2cm)



60x90x2 cm.
HARMONIE (RECTIFIED) Ivory



60x90x2 cm.
HARMONIE (RECTIFIED) Taupe



60x90x2 cm.
HARMONIE (RECTIFIED) Light Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

HARMONIE (2cm)

60x60x2 / 24"x24"



60x60x2 cm.

HARMONIE (RECTIFIED) Grey



60x60x2 cm.

HARMONIE (RECTIFIED) Antracite



60x60x2 cm.

HARMONIE (RECTIFIED) Black



60x90x2 / 24"x36"

HARMONIE (2cm)



60x90x2 cm.

HARMONIE (RECTIFIED) Grey



60x90x2 cm.

HARMONIE (RECTIFIED) Antracite



60x90x2 cm.

HARMONIE (RECTIFIED) Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



60x90x2 cm.
ROSEMOOR (MAT) (RECTIFIED) Grey



60x90x2 cm.
ROSEMOOR (MAT) (RECTIFIED) Beige



60x60x2 cm.
ROSEMOOR (MAT) (RECTIFIED) Beige



60x60x2 cm.
ROSEMOOR (MAT) (RECTIFIED) Grey



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR TILES

80x80

**TERMAL
SERAMİK**



80x80 cm.
AKDENİZ (FULL LAPPATO) (RECTIFIED) White



80x80 cm.
AKDENİZ (FULL LAPPATO) (RECTIFIED) Black



80x80/ 31"x31"

ANKARA



80x80 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Grey



80x80 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Light Grey



80x80 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) Ivory



80x80 cm.

ANKARA (FULL LAPPATO) (RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

ANUSHKA

80x80/ 31"x31"



80x80 cm.

ANUSHKA (FULL LAPPATO) (RECTIFIED) Bone



BIANCA

80x80/ 31"x31"



80x80 cm.

BIANCA (MAT) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

80x80/ 31"x31"

CLAYDON



80x80 cm.

CLAYDON (FULL LAPPATO) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



80x80 cm.
CONCRAITE (MAT) (RECTIFIED) Beige



80x80 cm.
CONCRAITE (MAT) (RECTIFIED) Grey



80x80/ 31"x31"

DAPHNE



80x80 cm.

DAPHNE (FULL LAPPATO) (RECTIFIED) White



80x80 cm.

DAPHNE (FULL LAPPATO) (RECTIFIED) Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



80x80 cm.
FRIGIA (MAT) (RECTIFIED) White



80x80 cm.
FRIGIA (MAT) (RECTIFIED) Antracite



80x80/ 31"x31"

FRIGIA



80x80 cm.

FRIGIA (MAT) (RECTIFIED) Grey



80x80 cm.

FRIGIA (MAT) (RECTIFIED) Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



80x80 cm.
GRANI (FULL LAPPATO) (RECTIFIED) Pearl



80x80 cm.
GRANI (FULL LAPPATO) (RECTIFIED) Grey



80x80/ 31"x31"

GRANI



80x80 cm.

GRANI (FULL LAPPATO) (RECTIFIED) Bone



80x80 cm.

GRANI (FULL LAPPATO) (RECTIFIED) Light Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

İSTANBUL

80x80/ 31"x31"



80x80 cm.
İSTANBUL (FULL LAPPATO) (RECTIFIED)



İZMİR

80x80/ 31"x31"



80x80 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) Beige



80x80 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) Silver



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

80x80/ 31"x31"

İZMİR



80x80 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) Grey



80x80 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) Light Grey



80x80 cm.
İZMİR (FULL LAPPATO) (RECTIFIED) Ivory



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

KENDAL KESTON

80x80/ 31"x31"



80x80 cm.
KENDAL KESTON (MAT) (RECTIFIED)



LINCOLN

80x80/ 31"x31"



80x80 cm.
LINCOLN (FULL LAPPATO) (RECTIFIED)



TERMAL SERAMİK FACTORY





80x80 cm.
LIFE (MAT) (RECTIFIED) Light Grey



80x80 cm.
LIFE (MAT) (RECTIFIED) Dark Grey



80x80/ 31"x31"

MADELINE



80x80 cm.

MADELINE (FULL LAPPATO) (RECTIFIED)



80x80 cm.

MADELINE (MAT) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



80x80 cm.
MADRA (FULL LAPPATO) (RECTIFIED) White



80x80 cm.
MADRA (FULL LAPPATO) (RECTIFIED) Grey



80x80 cm.
MADRA (MAT) (RECTIFIED) White



80x80 cm.
MADRA (MAT) (RECTIFIED) Grey



80x80/ 31"x31"

MYRA



80x80 cm.

MYRA (FULL LAPPATO) (RECTIFIED)



80x80 cm.

MYRA (MAT) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ODETTE

80x80/31"x31"



80x80 cm.

ODETTE (FULL LAPPATO) (RECTIFIED) Ivory



80x80 cm.

ODETTE (FULL LAPPATO) (RECTIFIED) Cool Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

80x80/ 31"x31"

ONICE



80x80 cm.
ONICE (FULL LAPPATO) (RECTIFIED) White



80x80 cm.
ONICE (FULL LAPPATO) (RECTIFIED) Grey



80x80/ 31"x31"

ÖYKÜ



80x80 cm.
ÖYKÜ (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4



80x80 cm.
RIMINI (MAT) (RECTIFIED) Grey



80x80 cm.
RIMINI (MAT) (RECTIFIED) Antracite



80x80/ 31"x31"

ROLA



80x80 cm.
ROLA (FULL LAPPATO) (RECTIFIED) Ivory



80x80 cm.
ROLA (FULL LAPPATO) (RECTIFIED) Light Grey



80x80 cm.
ROLA (FULL LAPPATO) (RECTIFIED) Grey



80x80 cm.
ROLA (FULL LAPPATO) (RECTIFIED) White



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



80x80 cm.
SAKARYA (FULL LAPPATO) (RECTIFIED) White



80x80 cm.
SAKARYA (MAT) (RECTIFIED) White



80x80 cm.
SAKARYA (FULL LAPPATO) (RECTIFIED) Grey




80x80 cm.
SAKARYA (MAT) (RECTIFIED) Grey



80x80/ 31"x31"

SUPERIOR



80x80 cm.
SUPERIOR (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

SWISS RHONE

80x80/ 31"x31"



80x80 cm.

SWISS RHONE (FULL LAPPATO) (RECTIFIED)



VALENTINA

80x80/ 31"x31"



80x80 cm.

VALENTINA (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Pariak Yüzey
Abrasion Resistance




Önemli Farklılık
Moderate Variation



4

80x80/ 31"x31"

VENETO



80x80 cm.
VENETO (FULL LAPPATO) (RECTIFIED) Silver



80x80 cm.
VENETO (FULL LAPPATO) (RECTIFIED) Gold



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. **PONTE BLACK** - 20x90 cm. **ALNO WALNUT**



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR TILES

30x60

**TERMAL
SERAMİK**

AKÇAAĞAÇ

30x60/12"x24"



30x60 cm.
AKÇAAĞAÇ

ALASKA

30x60/12"x24"



30x60 cm.
ALASKA

ALCATRAZ

30x60/12"x24"



30x60 cm.
ALCATRAZ



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60/12"x24"

BROOK



30x60 cm.
BROOK Beige



30x60 cm.
BROOK Grey

30x60/12"x24"

BIRMINGHAM



30x60 cm.
BIRMINGHAM Grey



30x60 cm.
BIRMINGHAM Antrasit

30x60/12"x24"

CALACATTA



30x60 cm.
CALACATTA



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

CALLIKA MIST

30x60/12"x24"



30x60 cm.
CALLIKA MIST

CEMENT

30x60/12"x24"



30x60 cm.
CEMENT Light Grey



30x60 cm.
CEMENT Dark Grey

CONTESSA DAMA

30x60/12"x24"



30x60 cm.
CONTESSA DAMA



30x60/12"x24"

CORDOBA



30x60 cm.
CORDOBA Grey



30x60 cm.
CORDOBA Brown

30x60/12"x24"

DELTA



30x60 cm.
DELTA Bone



30x60 cm.
DELTA Beige



30x60 cm.
DELTA Carbon



30x60 cm.
DELTA Cotto



30x60 cm.
DELTA Mix



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

EKİN

30x60/12"x24"



30x60 cm.
EKİN Bone



30x60 cm.
EKİN Grey



30x60 cm.
EKİN Cotto

FRIGIA

30x60/12"x24"



30x60 cm.
FRIGIA Grey



30x60 cm.
FRIGIA Antracite



30x60 cm.
FRIGIA Taupe



30x60 cm.
FRIGIA Beyaz



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

60,5x60,5 cm. **STAR BEIGE** - 30x60 cm. **EKİN COTTO**





30x60 cm.
GIZA Khafre



30x60 cm.
GIZA Khufu



30x60 cm.
GIZA Pharaoh



30x60 cm.
GIZA Sphinx



30x60 cm.
GIZA Menkaure

30x60/12"x24"

GOLD CALACATTA



30x60 cm.
GOLD CALACATTA Glossy

30x60/12"x24"

JOLIE



30x60 cm.
JOLIE (MAT) White



30x60 cm.
JOLIE (MAT) Light Grey



30x60 cm.
JOLIE (MAT) Bone



30x60 cm.
JOLIE (MAT) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



30x60 cm.
KENT White



30x60 cm.
KENT Greige



30x60 cm.
KENT Coffe Latte



30x60 cm.
KENT Walnut

30x60/12"x24"

KENDAL



30x60 cm.
KENDAL Bianco

30x60/12"x24"

LAMIA



30x60 cm.
LAMIA Light Grey



30x60 cm.
LAMIA Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

LARA

30x60/12"x24"




30x60 cm.
LARA Light Grey



30x60 cm.
LARA Dark Grey

LENA

30x60/12"x24"



30x60 cm.
LENA White



30x60 cm.
LENA Grey



30x60 cm.
LENA Antracite



30x60 cm.
LENA Taupe



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60/12"x24"

MALABADI



30x60 cm.
MALABADI



30x60/12"x24"

MALHAM



30x60 cm.
MALHAM Beige



30x60 cm.
MALHAM Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

MICHIGAN

30x60/12"x24"



30x60 cm.
MICHIGAN Beige



30x60 cm.
MICHIGAN Taupe

MISSISSIPPI


30x60/12"x24"



30x60 cm.
MISSISSIPPI Beige



30x60 cm.
MISSISSIPPI Grey



30x60 cm.
MISSISSIPPI Antracite



30x60 cm.
MISSISSIPPI White

MISSION

30x60/12"x24"



30x60 cm.
MISSION (MAT) Grey



30x60 cm.
MISSION (MAT) Noce



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

30x60/12"x24"

MONT BLANC



30x60 cm.
MONT BLANC

30x60/12"x24"

NİSAN



30x60 cm.
NİSAN Brown

30x60/12"x24"

PAMUKKALE



30x60 cm.
PAMUKKALE Grey



30x60 cm.
PAMUKKALE Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance




Aynı Görünüm
Uniform Appearance

4

PIAGGIA

30x60/12"x24"



30x60 cm.
PIAGGIA White



30x60 cm.
PAGGIA Antracite

POOL

30x60/12"x24"



30x60 cm.
POOL Blue



RIMINI

30x60/12"x24"



30x60 cm.
RIMINI Grey



30x60 cm.
RIMINI Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60 / 12"x24"

ROLA



30x60 cm.
ROLA Light Grey



30x60 cm.
ROLA Grey

30x60 / 12"x24"

SAN REMO



30x60 cm.
SAN REMO



30x60 / 12"x24"

SANTA FE



30x60 cm.
SANTA FE (MAT) Grey



30x60 cm.
SANTA FE (MAT) Taupe



30x60 cm.
SANTA FE (MAT) Sand Beige



30x60 cm.
SANTA FE (MAT) Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4

TEAKWOOD

30x60/12"x24"



30x60 cm.
TEAKWOOD Bone



30x60 cm.
TEAKWOOD Beige



30x60 cm.
TEAKWOOD Cherry

TEMPO

30x60/12"x24"



30x60 cm.
TEMPO White



30x60 cm.
TEMPO Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

30x60/12"x24"

TİBET



30x60 cm.
TİBET Beige



30x60 cm.
TİBET Light Grey



30x60 cm.
TİBET Brown



30x60 cm.
TİBET Dark Grey



30x60 cm.
TİBET DECOR Brown



30x60 cm.
TİBET DECOR Grey



30x60/12"x24"

TRAVERTEN



30x60 cm.
TRAVERTEN Bone



30x60 cm.
TRAVERTEN Beige



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

60x120 cm. - 30x60 cm. **KENT**



TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**


DIGITAL GLAZED
PORCELAIN
FLOOR TILES

45x45


**TERMAL
SERAMİK**

AHŞAP STONE

45x45/18"x18"



45x45 cm.
AHŞAP STONE Beige



45x45 cm.
AHŞAP STONE Grey



AKAR

45x45/18"x18"



45x45 cm.
AKAR Beige



45x45 cm.
AKAR Brown



AKÇAAĞAÇ

45x45/18"x18"



45x45 cm.
AKÇAAĞAÇ



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

45x45/18"x18"

ALPINE



45x45 cm.
ALPINE Grey



45x45 cm.
ALPINE Krem

45x45/18"x18"

ANTALYA



45x45 cm.
ANTALYA

45x45/18"x18"

ANTİK MEŞE



45x45 cm.
ANTİK MEŞE



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Çaplı
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ARDIÇ

45x45/18"x18"



45x45 cm.
ARDIÇ White



45x45 cm.
ARDIÇ Beige



45x45 cm.
ARDIÇ Brown

ASPENDOS

45x45/18"x18"



45x45 cm.
ASPENDOS



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Kârosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

45x45/18"x18"

ASUR



45x45 cm.
ASUR Meşe



TERMAL SERAMİK FACTORY



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

CONTESSA DAMA

45x45/18"x18"



45x45 cm.
CONTESSA DAMA

ÇIRAĞAN

45x45/18"x18"



45x45 cm.
ÇIRAĞAN



FRIGIA

45x45/18"x18"



45x45 cm.
FRIGIA Grey



45x45 cm.
FRIGIA Antracite



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



45x45 cm.
GIZA Khafre



45x45 cm.
GIZA Khufu



45x45 cm.
GIZA Pharaoh



45x45 cm.
GIZA Sphinx



45x45 cm.
GIZA Menkaure



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



HAREM

45x45/18"x18"




45x45 cm.
HAREM Beige



HAVUZ

45x45/18"x18"



45x45 cm.
HAVUZ Blue

45x45 cm. **HAVUZ** Blue



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Kârosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

45x45 cm. **GIZA**



INDILA

45x45/18"x18"



45x45 cm.
INDILA Beige



45x45 cm.
INDILA Brown

LARA

45x45/18"x18"



45x45 cm.
LARA Bone



45x45/18"x18"

LIFE



45x45 cm.
LIFE White



45x45 cm.
LIFE Beige



45x45 cm.
LIFE Grey



45x45 cm.
LIFE Taupe



45x45 cm.
LIFE Moca



45x45 cm.
LIFE Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

MEŞE

45x45/18"x18"



45x45 cm.
MEŞE Bone



45x45 cm.
MEŞE Grey



MİLET


45x45/18"x18"




45x45 cm.
MİLET Grey

NEW CARRARA

45x45/18"x18"



45x45 cm.
NEW CARRARA Grey



45x45 cm.
NEW CARRARA BELLA Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

45x45/18"x18"

NEW SOFA




45x45 cm.
NEW SOFA



45x45/18"x18"

PARLAK KREM



45x45 cm.
PARLAK KREM



45x45/18"x18"

PATIO



45x45 cm.
PATIO



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Floor Tiles



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



4

RIMINI

45x45/18"x18"



45x45 cm.
RIMINI Grey



45x45 cm.
RIMINI Antracite

ROMA


45x45/18"x18"



45x45 cm.
ROMA Grey

SATEN

45x45/18"x18"



45x45 cm.
SATEN White



45x45 cm.
SATEN Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles




Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance

45x45/18"x18"

SKYPOOL



45x45 cm.
SKYPOOL Blue



45x45/18"x18"

STONE



45x45 cm.
STONE Beige



45x45 cm.
STONE Grey

45x45/18"x18"

TARABYA



45x45 cm.
TARABYA Beige



45x45 cm.
TARABYA Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

TOPKAPI

45x45/18"x18"



45x45 cm.
TOPKAPI Mix

VADİ

45x45/18"x18"



45x45 cm.
VADİ Grey



45x45 cm.
VADİ Brown

VALLEY STONE

45x45/18"x18"



45x45 cm.
VALLEY STONE Beige



45x45 cm.
VALLEY STONE Green



45x45 cm.
VALLEY STONE Mix



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

45x45/18"x18"

VENEDİK



45x45 cm.
VENEDİK

45x45/1w"x18"

VINTAGE WOOD LIGHT



45x45 cm.
VINTAGE WOOD LIGHT



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Parlak Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

20x90 cm. **PITSAW**



TERMAL SERAMİK

**DİJİTAL PORSELEN
PARKE YER KAROLARI**

DIGITAL GLAZED
PARQUET PORCELAIN
FLOOR TILES

29x119

20x90

19x89

15x60

TERMAL
SERAMİK

ADRIANA WOOD

20x90 / 8"x36" - 15x60 / 6"x24"



20x90 cm.

ADRIANA WOOD Mix



15x60 cm.

ADRIANA WOOD Mix

20x90 cm. **ALNO WALNUT**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donu Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzeyi
Abrasion Resistance



Önemli Farklılık
Moderate Variation

4



20x90 cm.
ALNO Oak



15x60 cm.
ALNO Oak



20x90 cm.
ALNO Walnut



15x60 cm.
ALNO Walnut



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ANTIQUE WOOD

20x90 / 8"x36" - 15x60 / 6"x24"



20x90 cm.
ANTIQUE WOOD Grey



15x60 cm.
ANTIQUE WOOD Grey



20x90 cm.
ANTIQUE WOOD Walnut



15x60 cm.
ANTIQUE WOOD Walnut

BLOSSOM

20x90 / 8"x36"



20x90 cm.
BLOSSOM Cement



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

20x90 / 8"x36"

BURLINGTON



20x90 cm.

BURLINGTON Grey



20x90 cm.

BURLINGTON Maple



20x90 cm.

BURLINGTON Walnut



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



20x90 cm.

BURTON Bone



20x90 cm.

BURTON Oak



20x90 cm.

BURTON Grey

20x90 / 8"x36" - 15x60 / 6"x24

CALIOPE WOOD



20x90 cm.

CALIOPE WOOD Bone



15x60 cm.

CALIOPE WOOD Bone



20x90 cm.

CALIOPE WOOD Grey



15x60 cm.

CALIOPE WOOD Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

CHERRY

20x90 / 8"x36"



20x90 cm.
CHERRY

CRACKLE

20x90 / 8"x36"



20x90 cm.
CRACKLE White



20x90 cm.
CRACKLE Black

DRIFT WOOD

15x60 / 6"x24"



15x60 cm.
DRIFT WOOD Oak



15x60 cm.
DRIFT WOOD Smoke Grey



15x60 cm.
DRIFT WOOD Maun



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

20x90 / 8"x36"-15x60 / 6"x24

ELITE WOOD



20x90 cm.

ELITE WOOD Mix



15x60 cm.

ELITE WOOD Mix



20x90 / 8"x36"

HEIRLOOM



20x90 cm.

HEIRLOOM Fir



20x90 cm.

HEIRLOOM Larch



20x90 cm.

HEIRLOOM Poplar



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



20x90 cm.
ILGAZ Akağaç



15x60 cm.
ILGAZ Akağaç



20x90 cm.
ILGAZ Ceviz



15x60 cm.
ILGAZ Ceviz



20x90 cm.
ILGAZ Meşe



15x60 cm.
ILGAZ Meşe



20x90 cm.
ILGAZ Gümüş



15x60 cm.
ILGAZ Gümüş



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ILGAZ

20x90 / 8"x36"-15x60 / 6"x24"



20x90 cm.
ILGAZ Kiraz



15x60 cm.
ILGAZ Kiraz

INDUS

20x90 / 8"x36"



20x90 cm.
INDUS Grey



20x90 cm.
INDUS Walnut



20x90 cm.
INDUS Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

20x90 / 8"x36"

KEN WOOD



20x90 cm.
KEN WOOD Grey



20x90 cm.
KEN WOOD Black

20x90 / 8"x36"

LACE WOOD



20x90 cm.
LACE Wood

20x90 / 8"x36"

LAPIS WOOD



20x90 cm.
LAPIS WOOD



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donma Dayanıklılık
Frost Resistance



Konut
Residence



Diğer Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğer Mekan
Outside



Yer Karosu
Floor Tiles




Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



20x90 cm.
LARIX Beige



15x60 cm.
LARIX Beige



20x90 cm.
LARIX Grey



15x60 cm.
LARIX Grey



20x90 cm.
LARIX Maroon



15x60 cm.
LARIX Maroon

20x90 / 8"x36" - 15x60 / 6"x24"

LARIX



20x90 cm.
LARIX Taupe



15x60 cm.
LARIX Taupe



20x90 cm.
LARIX Carbon



15x60 cm.
LARIX Carbon

20x90 cm. **LARIX**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

LEGACY

20x90 / 8"x36"



20x90 cm.
LEGACY Sand



20x90 cm.
LEGACY Blonde

LEGNO CHIARO

20x90 / 8"x36"



20x90 cm.
LEGNO CHIARO White



20x90 cm.
LEGNO CHIARO Smoke Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

20x90 / 8"x36" - 15x60 / 6"x24"

LYSSA RUSTIC WOOD



20x90 cm.

LYSSA RUSTIC WOOD Mix



15x60 cm.

LYSSA RUSTIC WOOD Mix

20x90 / 8"x36" - 15x60 / 6"x24"

MADERA MARRON



20x90 cm.

MADERA MARRON



15x60 cm.

MADERA MARRON

20x90 / 8"x36"

MAISON PLANK



20x90 cm.

MAISON PLANK



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

MOKUZAI

15x60 / 6"x24" - 20x90 / 8"x36"



20x90 cm.
MOKUZAI Hikari



15x60 cm.
MOKUZAI Hikari



20x90 cm.
MOKUZAI Gure



15x60 cm.
MOKUZAI Gure



20x90 cm.
MOKUZAI Oxford



15x60 cm.
MOKUZAI Oxford



20x90 cm.
MOKUZAI Shiro



15x60 cm.
MOKUZAI Shiro



20x90 cm.
MOKUZAI Daku



15x60 cm.
MOKUZAI Daku



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

20x90 / 8"x36"

MONTGOMERY



20x90 cm.
MONTGOMERY BLACK

20x90 / 8"x36"

NORTH



20x90 cm.
NORTH White



20x90 cm.
NORTH Beige



20x90 cm.
NORTH Bone



20x90 cm.
NORTH (MAT) Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donma Dayanıklılık
Frost Resistance



Konut
Residence



Diğer Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğer Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



PEGAWOOD

20x90 / 8"x36"



20x90 cm.

PEGAWOOD MIX

PERSPECTIVE

20x90 / 8"x36"



20x90 cm.

PERSPECTIVE Mix



20x90 cm.

PERSPECTIVE Mix



20x90 cm.

PERSPECTIVE Mix



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

20x90 / 8"x36"

PINE



20x90 cm.
PINE Oak



20x90 cm.
PINE Maun



20x90 cm.
PINE Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



20x90 cm.
PITSAW Maple



15x60 cm.
PITSAW Maple



20x90 cm.
PITSAW Greige



15x60 cm.
PITSAW Greige

20x90 / 8"x36"-15x60 / 6"x24"

PITSAW



20x90 cm.
PITSAW Walnut



15x60 cm.
PITSAW Walnut



20x90 cm.
PITSAW Grey



15x60 cm.
PITSAW Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

PUZZLE WOOD

20x90 / 8"x36" - 15x60 / 6"x24"



20x90 cm.
PUZZLE WOOD Blue



15x60 cm.
PUZZLE WOOD Blue



20x90 cm.
PUZZLE WOOD Birch



15x60 cm.
PUZZLE WOOD Birch



20x90 cm.
PUZZLE WOOD Grey



15x60 cm.
PUZZLE WOOD Grey

20x90 / 8"x36"

RIO WOOD



20x90 cm.
RIO WOOD Bone



20x90 cm.
RIO WOOD Beige



20x90 cm.
RIO WOOD Venge



20x90 cm.
RIO WOOD Brown



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ROWAN

20x90 / 8"x36" - 15x60 / 6"x24"



20x90 cm.
ROWAN Oak



15x60 cm.
ROWAN Oak



20x90 cm.
ROWAN Grey



15x60 cm.
ROWAN Grey

RUSTICA WOOD

20x90 / 8"x36"



20x90 cm.
RUSTICA WOOD Mix



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

15x60 / 6"x24"

STUCCO



15x60 cm.
STUCCO Light Grey

20x90 / 8"x36"

TABUS



20x90 cm.
TABUS Walnut



20x90 cm.
TABUS Antracite



20x90 cm.
TABUS Beige



20x90 cm.
TABUS Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

TEAKWOOD

20x90 / 8"x36"



20x90 cm.
TEAKWOOD Walnut



20x90 cm.
TEAKWOOD Cherry



20x90 cm.
TEAKWOOD White



20x90 cm.
TEAKWOOD Grey



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Kârosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



20x90 / 8"x36"

YUKON



20x90 cm.
YUKON PLANK



20x90 cm.
YUKON WHITE

20x90 cm. **LAPIS WOOD**



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

ALNO

29x119 / 12"x48"



29x119 cm.
ALNO (RECTIFIED) Walnut



BLUE MAHOE

19x89 / 8"x36" - 29x119 / 12"x48"



19x89 cm.
BLUE MAHOE (FULL LAPPATO) (RECTIFIED)



29x119 cm.
BLUE MAHOE (FULL LAPPATO) (RECTIFIED)



LUXEBURG

19x89 / 8"x36" - 29x119 / 12"x48"



19x89 cm.
LUXEBURG (FULL LAPPATO) (RECTIFIED)



29x119 cm.
LUXEBURG (FULL LAPPATO) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation

29x119 / 12"x48"

MOKUZAI



29x119 cm.
MOKUZAI (RECTIFIED) Daku



29x119 cm.
MOKUZAI (RECTIFIED) Gure



29x119 cm.
MOKUZAI (RECTIFIED) Hikari



29x119 cm.
MOKUZAI (RECTIFIED) Oxford



29x119 cm.
MOKUZAI (RECTIFIED) Shiro



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



TERMAL SERAMİK

MONTGOMERY

29x119 / 12"x48"



29x119 cm.
MONTGOMERY Black



PASEDENA

29x119 / 12"x48"



29x119 cm.
PASEDENA (FULL LAPPATO) (RECTIFIED)



PEGAWOOD

29x119 / 12"x48"



29x119 cm.
PEGAWOOD (MIX) (RECTIFIED)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

TERMAL SERAMİK

**DİJİTAL PORSELEN
YER KAROLARI**

DIGITAL GLAZED
PORCELAIN
FLOOR TILES

33x33

**TERMAL
SERAMİK**

BOULOGNE

33x33/13"x13"



33x33 cm.
BOULOGNE



33x33 cm.
BOULOGNE



33x33 cm.
BOULOGNE



33x33 cm.
BOULOGNE



33x33 cm.
BOULOGNE



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance



4

33x33/13"x13"

OPERA



33x33 cm.
OPERA



33x33 cm.
OPERA



33x33 cm.
OPERA



33x33 cm.
OPERA



33x33 cm.
OPERA



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Konut
Residence



Diş Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diş Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Aynı Görünüm
Uniform Appearance

4

CONCORDE

33x33/13"x13"



33x33 cm.
CONCORDE



33x33 cm.
CONCORDE



33x33 cm.
CONCORDE



33x33 cm.
CONCORDE



33x33 cm.
CONCORDE

CONTESSA DAMA

33x33/13"x13"



33x33 cm.
CONTESSA DAMA



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Donatı Dayanıklılık
Frost Resistance



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Yer Karesi
Floor Tiles



Mat Yüzey
Abrasion Resistance




Aynı Görünüm
Uniform Appearance



4

33x33/13"x13"

SATEN




33x33 cm.
SATEN Beyaz



33x33/13"x13"

SERENITY



33x33 cm.
SERENITY (MAT)



33x33 cm.
SERENITY DECOR 1 (MAT)



33x33 cm.
SERENITY DECOR 2 (MAT)



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4



33x33 cm.
GIZA Khafre



33x33 cm.
GIZA Khufu



33x33 cm.
GIZA Pharaoh



33x33 cm.
GIZA Sphinx



33x33 cm.
GIZA Menkaure

TERMAL SERAMİK


**DİJİTAL PORSELEN
DUVAR KAROLARI**

DIGITAL GLAZED
PORCELAIN
WALL TILES

10x20

10x40

**TERMAL
SERAMİK**



10x20 cm.
FELIX White



10x20 cm.
FELIX METRO White



10x20 cm.
FELIX WAVE White



10x20 cm.
FELIX Light Grey



10x20 cm.
FELIX METRO Light Grey



10x20 cm.
FELIX WAVE Light Grey



10x20 cm.
FELIX Dark Grey



10x20 cm.
FELIX METRO Dark Grey



10x20 cm.
FELIX WAVE Dark Grey



10x20 cm.
FELIX Red



10x20 cm.
FELIX METRO Red



10x20 cm.
FELIX WAVE Red




10x20 cm.
FELIX Black



10x20 cm.
FELIX METRO Black



10x20 cm.
FELIX WAVE Black



10x40 cm.
FELIX White



10x40 cm.
FELIX METRO White



10x40 cm.
FELIX WAVE White



10x40 cm.
FELIX Light Grey



10x40 cm.
FELIX METRO Light Grey



10x40 cm.
FELIX WAVE Light Grey



10x40 cm.
FELIX Dark Grey



10x40 cm.
FELIX METRO Dark Grey



10x40 cm.
FELIX WAVE Dark Grey



10x40 cm.
FELIX Red



10x40 cm.
FELIX METRO Red



10x40 cm.
FELIX WAVE Red



10x40 cm.
FELIX Black



10x40 cm.
FELIX METRO Black



10x40 cm.
FELIX WAVE Black



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Konut
Residence



Diğ Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Diğ Mekan
Outside



Yer Karosu
Floor Tiles



Mat Yüzey
Abrasion Resistance



Önemli Farklılık
Moderate Variation



4

PACKING DETAILS

Packing Details of Termal Keramik Glazed Porcelain Tiles

SIZE (Cm)	BOX			PALLET				Pallet Dimensions
	Pcs.	M²	Kg.	Box pcs.	M²	Net Weight	Groos Weight	
33X33X0,78	13	1,42	24,95	46	65,32	1.148	1.178	80x120x81 - 2 Sequence
33X33X0,78	13	1,42	24,95	46	65,32	1.148	1.178	80x113x81 - 2 Sequence
30X60X0,90	6	1,08	20,40	48	51,84	979	1.009	80x120x75 - 2 Sequence
30X60X0,90	6	1,08	20,40	72	77,76	1.469	1.499	80x120x105 - 3 Sequence
30X60X0,90	8	1,44	27,20	48	69,12	1.306	1.336	80x120x105 - 3 Sequence
30X60X0,90	8	1,44	27,20	32	46,08	870	900	80x113x81 - 2 Sequence
29X59X1 - RECTIFIED FULL LAPPATO	6	1,03	21,90	40	41,20	876	906	80x113x75 - 2 Sequence
29X59X1 - RECTIFIED FULL LAPPATO	6	1,03	21,90	40	41,20	876	906	80x120x75 - 2 Sequence
29,5X59,5X0,90 - RECTIFIED MATT	6	1,05	21,00	40	42,00	840	870	80x113x75 - 2 Sequence
29,5X59,5X0,90 - RECTIFIED MATT	6	1,05	21,00	48	50,40	1.008	1.038	80x120x75 - 2 Sequence
42,5X42,5X0,82	9	1,63	28,35	48	78,24	1.361	1.391	80x120x105 - 2 Sequence
45X45X0,86	8	1,62	29,50	52	84,24	1.534	1.564	80x120x105 - 2 Sequence
45X45X0,86	8	1,62	29,50	22	35,64	649	679	80x113x81 - 1 Sequence
40X58X1,0	4	0,93	20,80	48	44,64	998	1.028	80X100X95 - 2 Sequence
40X58X1,0	4	0,93	20,80	60	55,80	1.248	1.278	80x120x95 - 2 Sequence
15X50X0,86	14	1,05	20,80	48	50,40	998	1.028	80x120x75 - 4 Sequence
15X60X0,96	12	1,08	22,80	42	45,36	958	988	92x120X60 - 3 Sequence
15X60X0,96	12	1,08	22,80	56	60,48	1.277	1.307	92x120x75 - 4 Sequence
15X90X1,05	7	0,95	23,10	42	39,90	970	1.000	92x120X60- 3 Sequence
20X90X1,0	6	1,08	25,00	36	38,88	900	930	92x120x55- 2 Sequence
20X120X1,1	5	1,20	30,00	28	33,60	840	870	92x120X60- 2 Sequence
19X119X1,1 - RECTIFIED MATT	5	1,13	29,00	27	30,51	783	813	80x120X57 Mix
60,5X60,5X0,95	4	1,46	30,80	30	43,80	924	954	80x120x75 - 1 Sequence
60,5X60,5X0,95	3	1,10	24,00	40	44,00	960	990	80x120x75 - 1 Sequence
60X60X0,95 - RECTIFIED - MATT	3	1,08	23,70	40	43,20	948	978	80x120x75 - 1 Sequence
59X59X1 - RECTIFIED FULL LAPPATO	3	1,04	22,90	40	41,60	916	946	80x120x75 - 1 Sequence
59X59X1 - RECTIFIED FULL LAPPATO	4	1,39	30,50	30	41,70	915	945	80x120x75 - 1 Sequence
60X60X0,95 - RECTIFIED - MATT	4	1,44	30,00	30	43,20	900	930	80x120x75 - 1 Sequence
60X60X0,95 - RECTIFIED - MATT	3	1,08	23,40	40	43,20	936	966	80x120x75 - 1 Sequence
40X80X1,1- RECTIFIED	4	1,28	31,20	24	30,72	749	779	80x120x55 - 1 Sequence
80X80X1,1 - RECTIFIED	2	1,28	31,20	41	52,48	1.279	1.309	80x120x95 - 1 Sequence
60X120X1 - RECTIFIED	2	1,44	34,50	34	48,96	1.173	1.218	92x130x75 - 1 Sequence
29X119X1 - RECTIFIED	3	1,04	25,20	22	22,88	554	584	80x120x45 - 1 Sequence
45X90X1,05 - RECTIFIED	3	1,22	28,80	30	36,45	864	894	95x120x60 - 1 Sequence
75X150X1,05	1	1,13	30,00	30	33,90	900	975	80x155x47 - Wooden Case

PACKING DETAILS

Packing Details of Termal Keramik Glazed Porcelain 2cm Thick Tile

SIZE (Cm)	BOX			PALLET				Pallet Dimensions
	Pcs.	M ²	Kg.	Box pcs.	M ²	Net Weight	Groos Weight	
60X120X2 - RECTIFIED	1	0,72	33,20	34	24,48	1.129	1.179	92x130x75 - 1 Sequence
30X120X2 - RECTIFIED	2	0,72	33,20	20	14,40	664	714	92x130x45 - 1 Sequence
60X60X2 - RECTIFIED	2	0,72	33,20	28	20,16	930	960	80x120x75 -1 Sequence
60X60X2 - RECTIFIED	2	0,72	33,20	30	21,60	996	1.026	80x120x75 -1 Sequence
60X90X2 - RECTIFIED	1	0,54	25,00	38	20,52	950	980	92x120x75 - 1 Sequence

Packing Details of Termal Keramik Wall Tiles

SIZE (Cm)	BOX			PALLET				Pallet Dimensions
	Pcs.	M ²	Kg.	Box pcs.	M ²	Net Weight	Groos Weight	
30X60X0,85	10	1,80	26,50	32	57,60	848	878	80x120x75 - 2 Sequence
30X60X0,85 - RECTIFIED	10	1,80	26,50	32	57,60	848	878	80x120x75 - 2 Sequence
30X75X0,95 - RECTIFIED	6	1,35	22,30	36	48,60	803	833	80x120x75 - 2 Sequence
30X90X1-RECTIFIED	5	1,35	23,00	40	54,00	920	950	95x120x75 - 2 Sequence
40X120X1,1- RECTIFIED	3	1,44	27,00	21	30,24	567	607	80x120x75 - 1 Sequence
10X20X0,75	40	0,8	10,5	84	67,2	880	910	80x120x75 - 3 Sequence
10X40X0,75	20	0,8	10,5	84	67,2	880	910	80x120x75 - 3 Sequence

Packing Details of Termal Keramik Decors

SIZE (Cm)	BOX			PALLET				Pallet Dimensions
	Pcs.	M ²	Kg.	Box pcs.	M ²	Net Weight	Groos Weight	
30X60X0,85 DEKOR	10	1,80	26,50	16	28,80	424	454	80x120x45 - 1 Sequence
30X60X0,85-RECTIFIED DEKOR	10	1,80	26,50	16	28,80	424	454	80x120x45 - 1 Sequence
30X75X0,95-RECTIFIED DEKOR	6	1,35	22,30	18	24,30	401	431	80x120x45- 1 Sequence
30X90X1-RECTIFIED DEKOR	5	1,35	23,00	20	27,00	460	490	95x120x45 - 1 Sequence
40X120X1,1- RECTIFIED DEKOR	3	1,44	27,00	21	30,24	567	607	80x120x55 - 1 Sequence

PAKETLEME DETAYLARI

SIRLI PORSELEN YER KAROSU PAKETLEME DETAYLARI

EBAT (Cm)	KUTU			PALET				PALET ÖLÇÜLERİ
	Adet	M²	Kg.	Kutu Sayısı	M²	Net ağırlık	Brüt ağırlık	(En x Boy x Yükseklik) cm
33X33X0,78	13	1,42	24,95	46	65,32	1.148	1.178	80x120x81 - 2 Sıra
33X33X0,78	13	1,42	24,95	46	65,32	1.148	1.178	80x113x81 - 2 Sıra
30X60X0,90	6	1,08	20,40	48	51,84	979	1.009	80x120x75 - 2 Sıra
30X60X0,90	6	1,08	20,40	72	77,76	1.469	1.499	80x120x105 - 3 Sıra
30X60X0,90	8	1,44	27,20	48	69,12	1.306	1.336	80x120x105 - 3 Sıra
30X60X0,90	8	1,44	27,20	32	46,08	870	900	80x113x81 - 2 Sıra
29X59X1 - RECTIFIED FULL LAPPATO	6	1,03	21,90	40	41,20	876	906	80x113x75 - 2 Sıra
29X59X1 - RECTIFIED FULL LAPPATO	6	1,03	21,90	40	41,20	876	906	80x120x75 - 2 Sıra
29,5X59,5X0,90 - RECTIFIED MATT	6	1,05	21,00	40	42,00	840	870	80x113x75 - 2 Sıra
29,5X59,5X0,90 - RECTIFIED MATT	6	1,05	21,00	48	50,40	1.008	1.038	80x120x75 - 2 Sıra
42,5X42,5X0,82	9	1,63	28,35	48	78,24	1.361	1.391	80x120x105 - 2 Sıra
45X45X0,86	8	1,62	29,50	52	84,24	1.534	1.564	80x120x105 - 2 Sıra
45X45X0,86	8	1,62	29,50	22	35,64	649	679	80x113x81 - 1 Sıra
40X58X1,0	4	0,93	20,80	48	44,64	998	1.028	80X100X95 - 2 Sıra
40X58X1,0	4	0,93	20,80	60	55,80	1.248	1.278	80x120x95 - 2 Sıra
15X50X0,86	14	1,05	20,80	48	50,40	998	1.028	80x120x75 - 4 Sıra
15X60X0,96	12	1,08	22,80	42	45,36	958	988	92x120X60 - 3 Sıra
15X60X0,96	12	1,08	22,80	56	60,48	1.277	1.307	92x120x75 - 4 Sıra
15X90X1,05	7	0,95	23,10	42	39,90	970	1.000	92x120X60- 3 Sıra
20X90X1,0	6	1,08	25,00	36	38,88	900	930	92x120x55- 2 Sıra
20X120X1,1	5	1,20	30,00	28	33,60	840	870	92x120X60- 2 Sıra
19X119X1,1 - RECTIFIED MATT	5	1,13	29,00	27	30,51	783	813	80x120X57 Mix
60,5X60,5X0,95	4	1,46	30,80	30	43,80	924	954	80x120x75 - 1 Sıra
60,5X60,5X0,95	3	1,10	24,00	40	44,00	960	990	80x120x75 -1 Sıra
60X60X0,95 - RECTIFIED - MATT	3	1,08	23,70	40	43,20	948	978	80x120x75 -1 Sıra
59X59X1 - RECTIFIED FULL LAPPATO	3	1,04	22,90	40	41,60	916	946	80x120x75 -1 Sıra
59X59X1 - RECTIFIED FULL LAPPATO	4	1,39	30,50	30	41,70	915	945	80x120x75 -1 Sıra
60X60X0,95 - RECTIFIED - MATT	4	1,44	30,00	30	43,20	900	930	80x120x75 -1 Sıra
60X60X0,95 - RECTIFIED - MATT	3	1,08	23,40	40	43,20	936	966	80x120x75 -1 Sıra
40X80X1,1- RECTIFIED	4	1,28	31,20	24	30,72	749	779	80x120x55 -1 Sıra
80X80X1,1 - RECTIFIED	2	1,28	31,20	41	52,48	1.279	1.309	80x120x95 - 1 Sıra
60X120X1 - RECTIFIED	2	1,44	34,50	34	48,96	1.173	1.218	92x130x75 - 1 Sıra
29X119X1 - RECTIFIED	3	1,04	25,20	22	22,88	554	584	80x120x45 - 1 Sıra
45X90X1,05 - RECTIFIED	3	1,22	28,80	30	36,45	864	894	95x120x60 - 1 Sıra
75X150X1,05	1	1,13	30,00	30	33,90	900	975	80x155x47 - SANDIK

PAKETLEME DETAYLARI

2 CM SIRLI PORSELEN YER KAROSU PAKETLEME DETAYLARI

EBAT (Cm)	KUTU			PALET				PALET ÖLÇÜLERİ (En x Boy x Yükseklik) cm
	Adet	M ²	Kg.	Kutu Sayısı	M ²	Net ağırlık	Brüt ağırlık	
60X120X2 - RECTIFIED	1	0,72	33,20	34	24,48	1.129	1.179	92x130x75 - 1 Sıra
30X120X2 - RECTIFIED	2	0,72	33,20	20	14,40	664	714	92x130x45 - 1 Sıra
60X60X2 - RECTIFIED	2	0,72	33,20	28	20,16	930	960	80x120x75 - 1 Sıra
60X60X2 - RECTIFIED	2	0,72	33,20	30	21,60	996	1.026	80x120x75 - 1 Sıra
60X90X2 - RECTIFIED	1	0,54	25,00	38	20,52	950	980	92x120x75 - 1 Sıra

DUVAR KAROSU PAKETLEME DETAYLARI

EBAT (Cm)	KUTU			PALET				PALET ÖLÇÜLERİ (En x Boy x Yükseklik) cm
	Adet	M ²	Kg.	Kutu Sayısı	M ²	Net ağırlık	Brüt ağırlık	
30X60X0,85	10	1,80	26,50	32	57,60	848	878	80x120x75 - 2 Sıra
30X60X0,85 - RECTIFIED	10	1,80	26,50	32	57,60	848	878	80x120x75 - 2 Sıra
30X75X0,95 - RECTIFIED	6	1,35	22,30	36	48,60	803	833	80x120x75 - 2 Sıra
30X90X1-RECTIFIED	5	1,35	23,00	40	54,00	920	950	95x120x75 - 2 Sıra
40X120X1,1- RECTIFIED	3	1,44	27,00	21	30,24	567	607	80x120x75 - 1 Sıra
10X20X0,75	40	0,8	10,5	84	67,2	880	910	80x120x75 - 3 Sıra
10X40X0,75	20	0,8	10,5	84	67,2	880	910	80x120x75 - 3 Sıra

DEKOR PAKETLEME DETAYLARI

EBAT (Cm)	KUTU			PALET				PALET ÖLÇÜLERİ (En x Boy x Yükseklik) cm
	Adet	M ²	Kg.	Kutu Sayısı	M ²	Net ağırlık	Brüt ağırlık	
30X60X0,85 DEKOR	10	1,80	26,50	16	28,80	424	454	80x120x45 - 1 Sıra
30X60X0,85-RECTIFIED DEKOR	10	1,80	26,50	16	28,80	424	454	80x120x45 - 1 Sıra
30X75X0,95-RECTIFIED DEKOR	6	1,35	22,30	18	24,30	401	431	80x120x45 - 1 Sıra
30X90X1-RECTIFIED DEKOR	5	1,35	23,00	20	27,00	460	490	95x120x45 - 1 Sıra
40X120X1,1- RECTIFIED DEKOR	3	1,44	27,00	21	30,24	567	607	80x120x55 - 1 Sıra

CERTIFICATE

OHSAS 18001:2007

Certificate

This is to certify that Occupational Health and Safety System of

TERMAL SERAMİK
SANAYİ VE TİCARET ANONİM ŞİRKETİ

ADRES : BİLEÇİK DEVLET KARAYOLU 4. KM
SÖĞÜT - BİLEÇİK

is in compliance with the requirements of

OHSAS 18001 : 2007

for the following scope of activities

HER TÜRLÜ SERAMİK VE DUVAR KAPLAMALARI, YER VE DUVAR KAPILARININ İÇERİMLERİNİN TASARIM, ÜRETİMİ, DEPOLAMA SATIŞ VE PAZARLAMA HİZMETLERİNİN SUNUMU
(DESIGN AND PRODUCTION OF FLOOR TILES, WALL TILES AND ACCESSORIES ETC.)

First Issue Date :	23. 05. 2019
Issue Date :	23. 05. 2019
Valid Until :	23. 05. 2022
Cert. No. :	IQCERT 007606/19/06

President & CEO of TÜSİSME

F. S. Yılmaz

This certificate and the information which does not comply per demand are issued without effectuation
are identified by the appropriate certification number
have the endorsement and of the IQCERT's double headed eagle logo
this certificate is valid when it contains original seal and signature
this certificate has been issued under electronic principle
has been issued for the reason of sample gathering for the company demand
IQCERT has Ltd has no responsibility for any kind of loss or damage in any party
for the reasons and acceptance of the above mentioned content
this certificate is valid as far as the above company complies with the rules and recorded compliance of annual assessment and payment of registration fees
Please check the validity of this certificate from the below web site
IQCERT is a registered trade mark of IQCERT Ltd. Ltd
Tel : +90 216 500 14 14 Fax : +90 216 500 14 20 info@iqcert.co.uk

www.iqcert.co.uk

ISO 9001:2015

Certificate

This is to certify that The Management System of

TERMAL SERAMİK
SANAYİ VE TİCARET ANONİM ŞİRKETİ

ADRES : BİLEÇİK DEVLET KARAYOLU 4. KM
SÖĞÜT - BİLEÇİK

is in compliance with the requirements of

ISO 9001 : 2015

for the following scope of activities

HER TÜRLÜ SERAMİK VE DUVAR KAPLAMALARI, YER VE DUVAR KAPILARININ İÇERİMLERİNİN TASARIM, ÜRETİMİ, DEPOLAMA SATIŞ VE PAZARLAMA HİZMETLERİNİN SUNUMU
(DESIGN AND PRODUCTION OF FLOOR TILES, WALL TILES AND ACCESSORIES ETC.)

First Issue Date :	23. 05. 2019
Issue Date :	23. 05. 2019
Valid Until :	23. 05. 2022
Cert. No. :	IQCERT 007608/19/06

President & CEO of TÜSİSME

F. S. Yılmaz

This certificate and the information which does not comply per demand are issued without effectuation
are identified by the appropriate certification number
have the endorsement and of the IQCERT's double headed eagle logo
this certificate is valid when it contains original seal and signature
this certificate has been issued under electronic principle
has been issued for the reason of sample gathering for the company demand
IQCERT has Ltd has no responsibility for any kind of loss or damage in any party
for the reasons and acceptance of the above mentioned content
this certificate is valid as far as the above company complies with the rules and recorded compliance of annual assessment and payment of registration fees
Please check the validity of this certificate from the below web site
IQCERT is a registered trade mark of IQCERT Ltd. Ltd
Tel : +90 216 500 14 14 Fax : +90 216 500 14 20 info@iqcert.co.uk

www.iqcert.co.uk

ISO 14001:2015

Certificate

This is to certify that The Environmental System of

TERMAL SERAMİK
SANAYİ VE TİCARET ANONİM ŞİRKETİ

ADRES : BİLECİK DEVLET KARAYOLU 4. KM
SÖĞÜT - BİLECİK

is in compliance with the requirements of

ISO 14001 : 2015

for the following scope of activities:

HER TİRLİ SERAMİK VE DUVAR KAPLAMALARI YER VE DUVAR KAPILAR İLE AKSESUARLARININ TASARIM, ÜRETİMİ, DEPOLAMA SATIŞ VE PAZARLAMASI HİZMETLERİNİN SUNUMU (DESIGN AND PRODUCTION OF FLOOR TILES, WALL TILES AND ACCESSORIES ETC.)

First Issue Date :

23. 05. 2019

Issue Date :

23. 05. 2019

Valid Until :

23. 05. 2022

Cert. No. :

IQCERT 007605/19/06

President & CEO of TÜSİSME

This certificate and the activities which form an integral part thereof are issued without limitation.

are identified by the appropriate certification number.

have the endorsement seal of the TÜSİSME (Turkey Standard High Logo).

This certificate is valid when it contains original seal and signature.

This certificate has been issued under voluntary principles.

has been issued by the means of sample gathering by the competent standard.

TÜSİSME Inc. Ltd. has no responsibility for any kind of loss or damage to any party.

for the accuracy and interpretation of the above mentioned statement.

This certificate is valid as far as the above company complies with the rules and successful completion of annual assessment and payment of inspection fees.

Please check the validity of this certificate from the internet web site.

IQ CERT is a registered trade mark of TÜSİSME Inc. Ltd.

Tel : +90 336 374 00 00 Fax : +90 336 374 70 00 info@iqcert.co.uk

www.iqcert.co.uk

IQ SCC-HYB

Certificate

This is to certify that The Service provided by:

TERMAL SERAMİK
SANAYİ VE TİCARET ANONİM ŞİRKETİ

ADRES : BİLECİK DEVLET KARAYOLU 4. KM
SÖĞÜT - BİLECİK

is in compliance with the requirements of

IQ SCC-HYB

Scheme for the following scope of activities:

HER TİRLİ SERAMİK VE DUVAR KAPLAMALARI YER VE DUVAR KAPILAR İLE AKSESUARLARININ TASARIM, ÜRETİMİ, DEPOLAMA SATIŞ VE PAZARLAMASI HİZMETLERİNİN SUNUMU (DESIGN AND PRODUCTION OF FLOOR TILES, WALL TILES AND ACCESSORIES ETC.)

First Issue Date :

23. 05. 2019

Issue Date :

23. 05. 2019

Valid Until :

23. 05. 2022

Cert. No. :

IQCERT 007605/19/06

President & CEO of TÜSİSME

This certificate and the activities which form an integral part thereof are issued without limitation.

are identified by the appropriate certification number.

have the endorsement seal of the TÜSİSME (Turkey Standard High Logo).

This certificate is valid when it contains original seal and signature.

This certificate has been issued under voluntary principles.

has been issued by the means of sample gathering by the competent standard.

TÜSİSME Inc. Ltd. has no responsibility for any kind of loss or damage to any party.

for the accuracy and interpretation of the above mentioned statement.

This certificate is valid as far as the above company complies with the rules and successful completion of annual assessment and payment of inspection fees.

Please check the validity of this certificate from the internet web site.

IQ CERT is a registered trade mark of TÜSİSME Inc. Ltd.

Tel : +90 336 374 00 00 Fax : +90 336 374 70 00 info@iqcert.co.uk

www.iqcert.co.uk

CERTIFICATE



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/ve  veya/ve 

BELGE NUMARASI 003946-TSE-01/03
REFERENCE NUMBER OF LICENCE

BELGENİN İLK VERİLİŞ TARİHİ 21.10.2007
DATE OF FIRST ISSUE OF LICENCE

BELGENİN SON GEÇERLİLİK TARİHİ 21.10.2022
LICENCE VALID UNTIL

BELGE SAHİBİ KURULUŞUN ADI TERMAL SERAMİK SANAYİ VE TİCARET ANONİM ŞİRKETİ
NAME OF THE LICENCE HOLDER

BELGE SAHİBİ KURULUŞUN ADRESİ KAYHAN MAHALLESİ BİLECİK YOLU 1.KÜMELEME NO:6 SÖĞÜT BİLECİK/TÜRKİYE
ADDRESS OF THE LICENCE HOLDER

ÜRETİM YERİ ADI TERMAL SERAMİK SANAYİ VE TİCARET ANONİM ŞİRKETİ
NAME OF THE MANUFACTURING PLACE

ÜRETİM YERİ ADRESİ KAYHAN MAHALLESİ BİLECİK YOLU 1.KÜMELEME NO:6 SÖĞÜT BİLECİK / TÜRKİYE
ADDRESS OF THE MANUFACTURING PLACE

İPTAL EDİLEN BELGE NUMARASI (Varsa) 003946-TSE-01/02
INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI termal şekil
REGISTERED TRADE MARK

İLGİLİ TÜRK STANDARDI TS EN 14411 / 09.12.2016
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

SERAMİK KAROLAR

İÇ VE DIŞ MEKÂNLARDA YER VE DUVAR KAPLAMASI OLARAK KULLANILAN, DÜŞÜK SU EMMELİ KURU PRESLENMİŞ Grup B1a Eb ≤ % 0,5 (Ek G), SIRLI SERAMİK KAROLAR

İÇ MEKÂNLARDA DUVAR KAPLAMASI OLARAK KULLANILAN, KURU PRESLENMİŞ Grup B11 Eb > % 10 (Ek L), SIRLI SERAMİK KAROLAR

İÇ VE DIŞ MEKÂNLARDA YER VE DUVAR KAPLAMASI OLARAK KULLANILAN, DÜŞÜK SU EMMELİ KURU PRESLENMİŞ Grup B1b % 0,5 < Eb ≤ % 3 (Ek H), SIRLI SERAMİK KAROLAR (KAP.GEN. 15.10.2020)

e-imzalı/e-signed

01.10.2021

Belgelendirme Merkezi Başkanı Adına
İsmail KAYNARCA

Eskişehir Belgelendirme Müdürü

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir surette tahrif edilemez, kısmen veya tamamen zorlaştıracak şekilde çoğaltılamaz, kopyası ve simli yapılamaz.

*TSE ESKİŞEHİR BELGELENDİRME MÜDÜRLÜĞÜ * Adres: Yenibağlar Mahallesi Üniversite Caddesi Fidan Sokak No:25 Tepebaşı /ESKİŞEHİR* Telefon: Direkt Tel:0-222-220 17 44

Santral: 0-222/222 80 00* Faks: 0-222-220 58 60

*TSE BELGELENDİRME MERKEZİ BAŞKANLIĞI, Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta: bmb@tse.org.tr, web : www.tse.org.tr

<https://evrakkontrol.tse.org.tr/BelgeDogrulama.aspx?p=ftsk0yeg> adresinden belgenin doğruluğunu ve geçerliliğini sorgulayınız.



1 / 1

SEMBOLLER / SYMBOLS



Otel
Hotel



İş Merkezi, Ofis
Business Center



Alışveriş Merkezi
Shopping Center



Dona Dayanıklılık
Frost Resistance



Ful Lappato
Full Lappato



Konut
Residence



Dış Cephe
Facade



Restoran, Cafe
Restaurant, Cafe



Dış Mekan
Outside



Semi Lappato
Semi Lappato



Yer Karosu
Floor Tiles



Duvar Karosu
Wall Tiles



Mat Yüzey
Abrasion Resistance



Parlak Yüzey
Abrasion Resistance



Rektifiye
Rectified

RENK TON FARKLARI / SHADE VARIATION



Aynı Görünüm
Uniform Appearance



Hafif Farklılık
Slight Variation



Önemli Farklılık
Moderate Variation



Rastgele Farklılık
Random Variation

YÜZEY AŞINMA DAYANIM SINIFI SURFACE ABRASION RESISTANCE CLASS

1

2

3

4

5

TECHNICAL DETAILS

1. Classification of Ceramic Tiles According to EN ISO 14411

Tiles are usually shaped by extruding or dry-pressing at room temperature followed by drying and temperatures sufficient to develop the required properties. They can also be formed processes, but these are not covered by this European Standard.

firing at
by other

According to this European Standard, ceramic tiles shall be classified into groups according to two parameters: by their method of manufacture (also referred to 'shaping') that is, by extrusion (expressed as group "A" tiles) or dry-pressing (expressed as group "B" tiles), and by their water absorption level (Table 1.1). The groups do not presuppose the usage of the products. The requirements for each product group shall be as given in Annexes A to M in 14411 standard.

For the purpose of classification, the test method used to determine water absorption level is the vacuum method according to EN ISO 10545-3.

Furthermore, extruded tiles can be classified as "precision" or "natural". The classification is dependent upon the different technical characteristics as listed in Annexes A to F and M.

Traditional terms used for extruded tiles are "split tiles" and "quarry tiles". They commonly indicate double extruded and single extruded tiles, respectively. The term "quarry tiles" only refers to extruded tiles with a water absorption coefficient of a mass fraction not exceeding 6 %.

Tiles can be glazed (GL) or unglazed (UGL). A tile with an engobed surface is regarded as an unglazed tile. Ceramic tiles in groups A1a and B1a can be designated as porcelain tiles.

Table 1.1. Classification of ceramic tiles with respect to water absorption and shaping

Shaping	Water Absorption (E_b)			
	Group I $E_b < 3 \%$	Group II _a $3 \% < E_b \leq 6 \%$	Group II _b $6 \% < E_b \leq 10 \%$	Group III $E_b > 10 \%$
Method A Extruded	Group A I _a $E_b \leq 0,5 \%$ (Annex M)	Group A II _{a-1} (Annex B)	Group A II _{b-1} (Annex D)	Group A III (Annex F)
	Group A I _b $0,5 \% < E_b \leq 3 \%$ (Annex A)	Group A II _{a-2} (Annex C)	Group A II _{b-2} (Annex E)	Group B III (Annex L)
Method B Dry-pressed	Group B I _a $E_b \leq 0,5 \%$ (Annex G)	Group B II _a (Annex J)	Group B II _b (Annex K)	Group B III (Annex L)
	Group B I _b $0,5 \% < E_b \leq 3 \%$ (Annex H)			

a) Groups AIIa and AIIb are divided into two parts (Parts 1 and 2) with different product specification. Part 1 covers most of the tiles in the group; Part 2 covers certain specific products, which are manufactured under different names (e.g. terre cuite in France and Belgium, cotto in Italy and baldosin catalán in Spain).

b) Group BIII covers glazed ceramic tiles only. There is a low quantity of dry-pressed unglazed tiles produced with water absorption greater than 10 % that are not covered by this European Standard.

TECHNICAL DETAILS

2. European Quality Standards (EN ISO 14411:2016-12)

EN 14411:2016 (E)											
Characteristics	Group B I ₁ - Group B I ₂ (dry-pressed ceramic tiles)				Group B II ₁ - Group B II ₂ (dry-pressed ceramic tiles)			Group B III (dry-pressed ceramic tiles)			TEST METHOD
	N < 7 cm	7 cm ≤ N ≤ 15 cm	N ≥ 15 cm		7 cm ≤ N ≤ 15 cm	N ≥ 15 cm		7 cm ≤ N ≤ 15 cm	N ≥ 15 cm		
	(mm)	(mm)	(%)	(mm)	(mm)	(%)	(mm)	(mm)	(%)	(mm)	
A) DIMENSIONS AND SURFACE QUALITY :											
A.1) Length and width											
The work size shall be chosen as follows for :											
a) modular tiles	Not Applicable	In order to allow a nominal joint width of between 2 and 5 mm			In order to allow a nominal joint width of between 2 and 5 mm			In order to allow a nominal joint width of between 2 and 5 mm			
b) non - modular tiles	Not Applicable	So that the differences between the work size and the nominal size is not more than 2% (maximum ± 5 mm)			So that the differences between the work size and the nominal size is not more than 2% (maximum ± 5 mm)			So that the differences between the work size and the nominal size is not more than 2% (maximum ± 5 mm)			
The permissible deviation of the average size for each tile (2 to 4 sides) from the work size in (W)	± 0,5 mm	± 0,9 mm	± 0,6 %	± 2,0 mm	± 0,9 mm	± 0,6 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	EN ISO 10545-2
A.2) Thickness											
a) The thickness shall be specified	Declared thickness				Declared thickness			Declared thickness			
The permissible deviation, of the average thickness of each tile from work size thickness	± 0,5 mm	± 0,5 mm	± 5 %	± 0,5 mm	± 0,5 mm	± 5 %	± 0,5 mm	± 0,5 mm	± 10 %	± 0,5 mm	EN ISO 10545-2
A.3) Straightness of sides											
The maximum permissible deviation from straightness related to the corresponding work size	Without Testing	± 0,75 mm	± 0,5 %	± 1,5 mm	± 0,75 mm	± 0,5 %	± 1,5 mm	± 0,5 mm	± 0,3 %	± 1,5 mm	EN ISO 10545-2
A.4) Rectangularity											
The max. permissible deviation from rectangularity related to the corresponding work sizes	Without Testing	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	EN ISO 10545-2
A.5) Surface flatness											
The max. permissible deviation from flatness :											
a) centre curvature related to diagonal calculated from the work sizes	Without Testing	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	+ 0,75 mm - 0,50 mm	+ 0,5 % - 0,3 %	+ 2,0 mm - 1,5 mm	EN ISO 10545-2
b) edge curvature related to corresponding work sizes	Without Testing	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	+ 0,75 mm 0,50 mm	+ 0,5 % - 0,3 %	+ 2,0 mm - 1,5 mm	EN ISO 10545-2
a) warpage, related to diagonal calculated from the work sizes	Without Testing	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	EN ISO 10545-2
A.6) Surface Quality											
The minimum of 95 % of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles											
B) PHYSICAL PROPERTIES											
B.1) Water Absorption (in % by mass)	Group B I ₁ : $E_A \leq 0,5 \%$ (individual max. 0,6 %) Group B I ₂ : $0,5 \% < E_A \leq 3,0 \%$ (individual max. 3,3 %)				Group B II ₁ : $3 \% < E_A \leq 6 \%$ (individual max. 6,5 %) Group B II ₂ : $6 \% < E_A \leq 10 \%$ (individual max.11%)			Average > 10 % the average exceeds 20 %, this shall be indicated. Individual minimum value 9 %			EN ISO 10545-3
B.2) Breaking Strength, for :											
a) Thickness ≥ 7,5 mm	Not Less than 1100 N				Group B II ₁ : Not Less than 1000 N Group B II ₂ : Not Less than 900 N			Not Less than 600 N			EN ISO 10545-4
a) Thickness < 7,5 mm	Not Less than 700 N				Group B II ₁ : Not Less than 600 N Group B II ₂ : Not Less than 500 N			Not Less than 200 N			EN ISO 10545-4
B.3) Flexural tensile strength or Modulus of Rupture in N / mm ²											
		Average minimum 30 N/mm ² Individual 27 N / mm ²			Group B II ₁ : Average minimum 22 N/mm ² (Individual 20 N / mm ²) Group B II ₂ : Average minimum 18 N/mm ² (Individual 16 N / mm ²)			Thickness ≥ 7,5 mm - Average minimum 12 N/mm ² Thickness < 7,5 mm - 15 N / mm ²			EN ISO 10545-4
B.4) Abrasion Resistance											
a) Resistance to deep abrasion of unglazed tiles: removed volume	Maximum 175 mm ³				Group B II ₁ : Maximum 345 mm ³ Group B II ₂ : Maximum 540 mm ³						EN ISO 10545-6
a) Resistance to surface abrasion of glazed tiles intended for use on floors	Abrasion class and cycles passed				Abrasion class and cycles passed			Abrasion class and cycles passed			EN ISO 10545-7
B.5) Coefficient of linear thermal expansion :											
- from ambient temperature to 100 °C	Without Testing	Declared value			Declared value			Declared value			EN ISO 10545-8
B.6) Thermal Shock Resistance											
		Pass according to EN ISO 10545-1			Pass according to EN ISO 10545-1			Pass according to EN ISO 10545-1			EN ISO 10545-9
B.7) Crazing Resistance, glazed tiles											
		Pass according to EN ISO 10545-1			Pass according to EN ISO 10545-1			Pass according to EN ISO 10545-1			EN ISO 10545-11
B.8) Frost Resistant											
		Pass according to EN ISO 10545-1			Declared value			Declared value			EN ISO 10545-12
B.9) Slipperiness											
		Declared value			Declared value			Declared value			CEN / TS 16165
B.10) Bond strength / adhesion for :											
a) cementitious adhesives	Declared value				Declared value			Declared value			EN 12004:2007+A 1:2012, 4.1
b) dispersion adhesives	Declared value				Declared value			Declared value			EN 12004:2007+A 1:2012, 4.2
c) reaction adhesives	Declared value				Declared value			Declared value			EN 12004:2007+A 1:2012, 4.3
B.11) Moisture expansion (in mm / m) :											
Without Testing	Declared value			Declared value			Declared value			EN ISO 10545-10	
B.12) Small colour differences for :											
a) glazed tiles	$\Delta E_{cmc} < 0,75$				$\Delta E_{cmc} < 0,75$			$\Delta E_{cmc} < 0,75$			EN ISO 10545-16
b) unglazed tiles	$\Delta E_{cmc} < 1,0$				$\Delta E_{cmc} < 1,0$						EN ISO 10545-16
B.13) Impact Resistance, as :											
Coefficient of restitution (COR)		Declared value			Declared value			Declared value			EN ISO 10545-5
B.14) Reaction to fire											
		Class A1 or A1 _{FL}			Class A1 or A1 _{FL}			Class A1 or A1 _{FL}			
B.15) Tactility											
		Declared surface description			Declared surface description			Declared surface description			CEN / TS 15209
C) CHEMICAL PROPERTIES											
C.1) Resistance to staining, for :											
a) glazed tiles	Minimum class 3				Minimum class 3			Minimum class 3			EN ISO 10545-14
a) Unglazed tiles	Declared value				Declared value			Declared value			EN ISO 10545-14
C.2) Resistance to chemicals, for :											
a) Resistance to low concentrations of acids and alkalis	Declared value				Declared value			Declared value			EN ISO 10545-13
b) Resistance to high concentrations of acids and alkalis	Declared value				Declared value			Declared value			EN ISO 10545-13
c) Resistance to household chemicals and swimming pool salts	Minimum class B				Minimum class B			Minimum class B			EN ISO 10545-13
C.3) Resistance to chemicals, for :											
a) Cadmium (in mg / dm ²)	Declared value				Declared value			Declared value			EN ISO 10545-15
b) Lead (in mg / dm ²)	Declared value				Declared value			Declared value			EN ISO 10545-15
c) Other dangerous substances	Declared value				Declared value			Declared value			As relevant

TECHNICAL DETAILS

3. Properties Of Ceramic Tiles

The characteristics of ceramic tiles relevant for different applications shall be as given in Table 3.1

Table 3.1 Characteristics of ceramic tiles required for different applications

Characteristics		Floorings		Walls		Test method
A)	Dimensions and surface quality	Interior	Exterior	Interior	Exterior	Reference
A.1)	Length and width	X	X	X	X	EN ISO 10545-2
A.2)	Thickness	X	X	X	X	EN ISO 10545-2
A.3)	Straightness of sides (i.e. facial sides)	X	X	X	X	EN ISO 10545-2
A.4)	Rectangularity	X	X	X	X	EN ISO 10545-2
A.5)	Surface flatness (curvature and warpage)	X	X	X	X	EN ISO 10545-2
A.6)	Surface quality	X	X	X	X	EN ISO 10545-2
B)	Physical properties	Interior	Exterior	Interior	Exterior	Reference
B.1)	Water absorption	X	X	X	X	EN ISO 10545-3
B.2)	Breaking strength	X	X	X	X	EN ISO 10545-4
B.3)	Flexural tensile strength or Modulus of rupture	X	X	X	X	EN ISO 10545-4
B.4 a)	Resistance to deep abrasion – unglazed tiles	X	X			EN ISO 10545-6
B.4 b)	Resistance to surface abrasion – glazed tiles	X	X			EN ISO 10545-7
B.5)	Linear thermal expansion	X	X	X	X	EN ISO 10545-8
B.6)	Resistance to thermal shock	X	X	X	X	EN ISO 10545-9
B.7)	Resistance to crazing	X	X	X	X	EN ISO 10545-11
B.8)	Freeze–thaw resistance		X		X	EN ISO 10545-12
B.9)	Slipperiness	X	X			CEN/TS 16165
B.10 a)	Bond strength/adhesion – cementitious adhesives			X	X	EN 12004:2007 +A1: 2012, 4.1
B.10 b)	Bond strength/adhesion – dispersion adhesives			X	X	EN 12004:2007 +A1: 2012, 4.2
B.10 c)	Bond strength/adhesion – reaction resin adhesives			X	X	EN 12004:2007 +A1: 2012, 4.3
B.11)	Moisture expansion	X	X	X	X	EN ISO 10545-10
B.12)	Small colour differences	X	X	X	X	EN ISO 10545-16
B.13)	Impact resistance	X	X			EN ISO 10545-5
B.14)	Reaction to fire	X		X	X	WT
B.15)	Tactility	X	X			CEN/TS 15209 g
C)	Chemical properties	Interior	Exterior	Interior	Exterior	Reference
C.1 a)	Resistance to staining – glazed tiles	X	X	X	X	EN ISO 10545-14
C.1 b)	Resistance to staining – unglazed tiles	X	X	X	X	EN ISO 10545-14
C.2 a)	Resistance to acids and alkalis of low concentration	X	X	X	X	EN ISO 10545-13
C.2 b)	Resistance to acids and alkalis of high	X	X	X	X	EN ISO 10545-13
C.2 c)	Resistance to household cleaning agents and swimming pool chemicals	X	X	X	X	EN ISO 10545-13
C.3 a)	Release of cadmium – glazed tiles	X	X	X	X	EN ISO 10545-15
C.3 b)	Release of lead – glazed tiles	X	X	X	X	EN ISO 10545-15
C.3 c)	Release of other dangerous substances	X	X	X	X	As relevant

4. Dimensions and Surfaces

Dimensions, EN ISO 10545-2

All Dimensions are determined in accordance with the standard. Permissible length and width tolerances corresponding to the product standards.

	Group B I _a - Group B I _b (dry-pressed ceramic tiles)				Group B II _a - Group B II _b (dry-pressed ceramic tiles)			Group B III (dry-pressed ceramic tiles)		
	N < 7 cm (mm)	7 cm ≤ N ≤ 15 cm (mm)	N ≥ 15 cm (%)	(mm)	7 cm ≤ N ≤ 15 cm (mm)	N ≥ 15 cm (%)	(mm)	7 cm ≤ N ≤ 15 cm (mm)	N ≥ 15 cm (%)	(mm)
Length and width										
The permissible deviation of the average size for each tile (2 ro 4 sides) from the work size in (W)	± 0,5 mm	± 0,9 mm	± 0,6 %	± 2,0 mm	± 0,9 mm	± 0,6 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm
Straightness of sides										
The maximum permissible deviation from straightness related to the corresponding work size	Without Testing	± 0,75 mm	± 0,5 %	± 1,5 mm	± 0,75 mm	± 0,5 %	± 1,5 mm	± 0,5 mm	± 0,3 %	± 1,5 mm
A.4) Rectangularity										
The max. permissible deviation from rectangularity related to the corresponding	Without Testing	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm	± 0,75 mm	± 0,5 %	± 2,0 mm


Dry Pressed Tiles (Marked with B)

Tiles that are formed from a finely ground and subsequently granulated mass by under high pressure

Dry-pressed porcelain tiles are frost resistant, single dry pressed tiles with a firing temperature of up to 1200 °C for interior and exterior use.


Dry-pressed wall tiles are not frost resistant, single dry pressed tiles with a firing temperature of up to 1100 °C for interior use only.

The water absorption E in weight is determined in accordance with TS EN ISO 10545-3



coordinating size (C) = work size (W) + joint (J)

work size (W) = dimension of the visible face (a), (b) and thickness (d)



1 spacer lugs

coordinating size (C) = work size (W) + joint (J)

work size (W) = dimension of the visible face (a), (b) and thickness (d)

work size (W) size of a tile specified for manufacturing to which the actual size conforms within specified permissible deviations

actual size size obtained by measuring the face of the tile

coordinating size (C) work size plus the joint width

modular size dimensions based on the modules M, and also their multiples or subdivisions, except for tiles with a surface area of less than 9 000 mm²

non-modular size size not based on module M

nominal size size used to describe the ceramic tile

tolerance permissible deviation from work size

product group ceramic tiles manufactured through a defined process (extrusion or dry pressing) and featuring a specific water absorption (see Table 1.1)

family in a product group ceramic tiles manufactured for which the test results of any tile within the family are valid for all other tiles within the family

TECHNICAL DETAILS

5. Physical and Chemical Properties Of Ceramic Tiles

5.1. Determination of dimensions and surface quality

When determining the size and surface quality of ceramic tiles, length, width, thickness, edge smoothness, deviation from square, surface smoothness characteristics are taken into consideration.

Edge smoothness; is the deviation of the edge center from the smoothness in the tile plane. The measurement for edge straightness is only for the flat edges of the tiles. Calculated with the following formula.

$$\frac{C}{L} \times 100 \%$$

C : Deviation of the measured edge center from the smoothness

L : Length of edge measured

Deviation from the miter; the following formula is used if one corner of the tile is overlapped to angle of the calibration plate.

$$\frac{\sigma}{L} \times 100 \%$$

σ : The amount of deflection of the outer edge of the tile edge from the inner edge of the calibration plate

L : Length

5.2. Water Absorption

The method used to give water to the open pores of the samples is method of immersion in water under vacuum. Water enters the open pores and almost all open pores are filled by vacuum.

The general principle of water absorption ; is the relationship between dry water saturated masses due to the saturation o the dry tiles and subsequent suspension in water.

Water absorption for each tile is calculated as a percentage of dry mass using the following equation:

$$E_{(V)} = \frac{m_2 - m_1}{m_1} \times 100$$

m_1 :Mass of dry tile

m_2 :Mass of wet tile

5.3. Apparent Porosity

The outhor volume (V) is calculated using the following formula :

$$V(\text{cm}^3) = m_2 - m_3$$

The volume of open pores V_o and the volume V_i of the non-water absorbing portion of the sample is calculated using the formula given below.

$$V_o = m_2 - m_1$$

$$V_i = m_1 - m_3$$

Apparent porosity (P) is calculated as follows :

$$P = \frac{m_2 - m_1}{V} \times 100$$

5.4.Apparent relative density and volume mass

The apparent relative desity (T) is the density of the non-aqueous portion of the sample.

$$T = \frac{m_1}{m_1 - m_3}$$

Volume mass (B) is the gram weight of cubic centimeters of a sample.

$$B = \frac{m_1}{V}$$

TECHNICAL DETAILS

5.5. Breaking Load (F_{bl})

- The breaking load : The force indicated by the pressure gauge, required for breaking the test specimen, in Newtons.
- The breaking strength : The force specified in Newtons obtained by multiplying the fracture load by the ratio of the distance between the support bars to the sample width.
- The modulus of rupture is expressed in newtons per square millimetre.

The breaking strength , expressed in newtons, is calculated by means of ;

$$F_{bs} = \frac{F_{bl} l_2}{b}$$

Where ;

F_{bl} :is the breaking load, expressed in newtons;

l_2 :is the span, expressed in millimetres, between the support rods

b :is the width, expressed in millimetres, of the test specimen;

The modulus of rupture , expressed in newtons per square millimetre, is calculated by means of ;

$$\sigma_{Fbl} = \frac{3F_{bl} l_2}{2 b h_2}$$

F_{bl} :is the breaking load, expressed in newtons;

l_2 : is the span, expressed in millimetres, between the support rods

b : is the width, expressed in millimetres, of the test specimen;

h :is the minimum thickness of the test specimen, expressed in millimetres, measured after the test along the broken edge.



6. Classification of Glazed Ceramic Tiles for Floorings According to Their Resistance to Surface Abrasion

Where required, the following approximate classification may be used for glazed ceramic tiles intended for floorings with regard to their resistance to surface abrasion.

This classification should not be taken as providing accurate product specifications for specific requirements but rather used as guidance only (see EN ISO 10545-7).

Table 6.1 :Classification and description of glazed ceramic tiles according to surface wear

Explantion	
Class 0	Glazed tiles in this class are not recommended for use on floors.
Class 1	Floor coverings in areas that are walked on essentially with soft soled footwear or bare feet without scratching dirt (e.g. residential bathrooms and bedrooms without direct access from the outside).
Class 2	Floor coverings in areas that are walked on by soft soled or normal footwear with,at the most, occasional small amounts of scratching dirt (e.g. rooms in the living areas of homes but with the exception of kitchens, entrances, and other rooms which may have a lot of traffic). This does not apply to abnormal footwear (i.e.hobnailed boots).
Class 3	Floor coverings in areas that, with normal footwear, are walked on more often with small amounts of scratching dirt (e.g. residential kitchens, halls, corridors, balconies, loggias and terraces). This does not apply to abnormal footwear (i.e.hobnailed boots).
Class 4	Floor coverings that are walked on by regular traffic with some scratching dirt so that the conditions are more severe than Class 3 (e.g. entrances, commercial kitchens, hotel, exhibition and sale rooms).
Class 5	Floor coverings that are subject to severe pedestrian traffic over sustained periods with some scratching dirt, so that the conditions are the most severe for which glazed floor tiles may be suitable (e.g. public areas such as shopping centres,airport concourses, hotel foyers, public walkways and industrial applications).

This classification is valid for the given applications under normal conditions. Consideration should be given to the footwear, type of traffic and cleaning methods expected, and the floors should be adequately protected against scratching dirt at the entrances to buildings by interposing footwear cleaning devices. In extreme cases of very heavy pedestrian traffic and quantities of scratching dirt,unglazed floor tiles from Group I can be considered.

Abrasion is determined by rotating the abrasive load on the surface and visually comparing the worn samples with the non-wearing tiles. The classification is done as in the following table :

Wear stage , revolutions where the error occurs	Class
100	0
150	1
600	2
750, 1500	3
2100 , 6000 12000	4
>12000	5

TECHNICAL DETAILS

7. Additional Information on Applicability of Certain Characteristics

7.1 General

The purpose of this annex is to provide additional explanatory comments and pertinent information with regard to the application of the characteristics listed in 7.2, for the intended uses as specified in Table 3.1.

7.2 Characteristics

7.2.1 Impact resistance

Determination of impact resistance by measurement of the coefficient of restitution is intended only for testing ceramic tiles according to EN ISO 10545-5 that are used in areas where impact resistance is considered to be of particular importance. The normal requirement for light duty installations is a coefficient of restitution (COR) of 0,55. For heavier duty applications, a higher figure would be required.

7.2.2 Linear thermal expansion

Most ceramic tiles have low levels of linear thermal expansion. Testing, according to EN ISO 10545-8 is intended for ceramic tiles that are installed in conditions of high thermal variation.

Thermal expansion is determined in the range of room temperature to 100 degrees.

The coefficient of linear thermal expansion is calculated by the following formula.

$$\alpha = \frac{1}{L_0} \times \frac{\Delta L}{\Delta t}$$

L_0 :Length of the specimen at ambient temperature

ΔL : Increase in length of the sample between ambient temperature and 100 degrees

Δt : Temperature

7.2.3 Chemical resistance

Ceramic tiles are normally resistant to common chemicals. The test performed according to EN ISO 10545-13 for high concentrations of acids and alkalis, listed below, is intended for ceramic tiles which are to be used in potentially corrosive conditions.

The substances used for chemical resistance to household chemicals and bath water are :

*Household Chemicals

*Amonium Chloride Solution 100g/l

*Bath Salts

*Sodium Hypochlorite Solution 20mg/l

Calsses : A/B/C

The substances used for resistance to acids and alkalis are:

*Low Concentration (L) :

*Hydrochloric acid solution %3 (V/V)

*Citric acid solution 100 g /l

*Potassium hydroxide solution 30g/l

High Concentration (H) :

* Hydrochloric acid solution %18 (V/V)

* Lactic acid solution %5 (V/V)

*Potassium hydroxide solution 100g/l

Classes : LA/LB/LC or HA/HB/HC

7.2.4 Resistance to staining

The test performed according to EN ISO 10545-14 is compulsory for glazed ceramic tiles. For unglazed ceramic tiles, where staining may be a problem, it is recommended that the manufacturer be consulted. This method does not address the temporary colour changes that may occur in certain types of glazed tile due to the absorption of water in the body under the glaze.

Stain Forming Substances :

*Stain forming substances, leaving traces

Green stain forming substances in oil

Red stain forming substances in oil

*Chemical stain forming substances Iodine , 13 g/l alcohol

*Stain forming substances, forming a film olive oil

Cleaning (within the framework of the test) :

Cleaning agents and solvents are used to remove stains.

Cleaning agent

* Hot water (+55 °C)

* Weak cleaning agent

*Strong cleaning agent

Solvent

* Hydrochloric acid solution %3 (V/V)

* Potassium hydroxide 200 g /l

*Acetone

Classes CI 5 / CI 4 / CI 3 / CI 2 / CI 1

7.2.5 Small colour differences

The test performed according to EN ISO 10545-16 is applicable only to plain coloured ceramic tiles and is considered to be of importance in certain specialized circumstances. It is to be used only where small colour differences between plain coloured glazed tiles are important in a specification.

8. Slip Resistance

It is recognised that there is no single device and method for reproducing and quantifying the slipperiness of a surface. Three methods that are recognised for different standardization institutes :

- 1 - Dynamic Coefficient of Friction (BOT 3000) - ANSI A 137.1 (USA)
- 2 - Dynamic Coefficient of Friction (Pendulum) - BS 7976 (UK)
- 3 - Wet Ramp Test Walking With Footwear (with oil & with water) - DIN 51130 and DIN 51097 (Germany)

8.1 . Dynamic Coefficient of Friction (BOT 3000) -ANSI A 137.1 (USA)

Coefficient of Friction: The coefficient of friction (COF) measurement provided in this standard is an evaluation of a tile surface under known conditions using a standardized sensor material prepared according to a specific protocol. As such it can provide a useful comparison of tile surfaces, but it does not predict the likelihood a person will or will not slip on a tile surface. There are many factors that affect the possibility of a slip occurring on a tile surface including by way of example, but not in limitation, the following: the material of the shoe sole and the degree of its wear; the presence and nature of surface contaminants; the speed and length of stride at the time of a slip; the physical and mental condition of the individual at the time of a slip; whether the floor is flat or inclined, and how the tile surface is used and maintained; and the COF of the tile, how the tile is structured, and how drainage takes place if liquids are involved. Because many variables affect the risk of a slip occurring, the COF shall not be the only factor in determining the appropriateness of a tile for a particular application.

Unless otherwise specified, tiles suitable for level1 interior spaces expected to be walked upon when wet shall have a wet DCOF of 0.42 or greater when tested by this method. However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear , and manufacturers' guidelines and recommendations .

8.2. Dynamic Coefficient of Friction (Pendulum) - BS 7976 (UK)

The BS 7976 pendulum slip testing method remains the preferred slip test method of the HSE and UK Slip Resistance Group. This is in part due to its extensive history in slip risk assessment and strong correlation to slip incidents. The pendulum slip test remains one of the few methods to accurately recreate the hydrodynamic squeeze film generated in a slip in wet conditions. Though the pendulum slip tester is somewhat awkward to use and requires an experienced operator to avoid misleading/erroneous results, it is widely considered the best method of pedestrian slip testing and is used extensively in slip and fall legal proceedings. The device swings a rubber slider mounted on a weighted 'foot' from horizontal, striking the floor surface near vertical and subsequently providing a reading as the foot swings back up. The dynamic coefficient of friction of the surface has a measurable effect on the Pendulum Test Value (PTV), previously known as the Slip Resistance Value (SRV).

8.3. Wet Ramp Test Walking With Footwear (with oil/with water) - DIN 51130 and DIN 51097 (Germany)

Wet Ramp Test Walking is the test method of the inclined plane according to German standard DIN 51130. This method is to determine the anti-slip properties of walk and floor coverings test. Oil is used in DIN 51130 standard and water is used in DIN 51097 standard. The German ramp method is well known in Europe , Singapore, Australia and New Zealand and Ceramic Tile Institute Of America. The DIN 51130 and DIN 51097 standards take into account the drainage capacity of tiles measured in volume (cm3) per unit surface area (dm 2). In addition , these methods classify floor coverings according to the risk of shear and determine the minimum shear resistance value.

TECHNICAL DETAILS

Table 8.2.1 Classification Of The Results Of The British Wet Pendulum Test

Class	Value of the BPN ^[1] scale	
	4S ^[2] rubber slider	TRL ^[3] rubber slider
V	>54	>44
W	45-54	40-44
X	35-44	35-39
Y	25-34	20-34
Z	<25	<20

^[1] BPN : British pendulum number

^[2] 4S (simulated standard shoe sole) rubber , with IRHD hardness 96+- 2 , at present designated SLIDER 96 (slider of hardness 96)

^[3] TRL (Transport Research Laboratory) rubber , with IRHD hardness 55+- 5 , formerly called TRRL and used on fired clay tiles and and concrete. It represents better the non-slip capacity on surfaces for barefoot use and rough surfaces , because it is less hard than the 4S rubber. At present it is called SLIDER 55 (slider of hardness 55)

Table 8.2.2. Pedestrian Flooring Selection Guide -Minimum Pendulum or Ramp Recommendations For Specific Location

Location	Pendulum	Ramp
External colonnade , walkways and pedestrian crossings	W	R10
External ramps	V	R11
Entry foyers hotel , office , public buildings-wet	X	R10
Entry foyers hotel , office , public buildings-dry	Z	R9
Shopping centre excluding food court	Z	R9
Shopping centre - food court	X	R10
Internal ramps , slopes (greater than 2 degress)-dry	X	R10
Lift lobbies above external entry level	Z	R9
Other separate shops inside shopping centres	Z	R9
Other shops with external entrances -entry area	X	R10
Fast food outlets, buffet food servery areas	X	R10
Hospital and aged care facilities -dry areas	Z	R9
Hospital and aged care facilities -ensuites	X	A o R10
Supermarket ailes except fresh food areas	Z	R9
Shop and supermarket fresh fruit and vegetable areas	X	R10
Communal changing rooms	X	A
Swimming pool surrounds and communal shower rooms	W	B
Swimming pool ramps and stairs leading into water	V	C
Toilet facilities in office , hotels , shopping centres	X	R10
Undercover concourse areas of sports stadium	X	R10
Accessible internal stair nosings (dry) -handrails present	X	R10
Accessible internal stair nosings (wet) -handrails present	W	B o R11
External stair nosings	W	R11

1. Appropriate measures need to be taken to exclude casual water from dry areas.

2.All floors with a wet pendulum classification of Z should have a dry floor friction classification of F unless normal usage dictates that the floor should have a low dry coefficient of friction , e.g. Dance floors.

3. Table 8.3.2 contains higher requirements for some specific types of shops.

4. Refer to Tables 8.2.1 , 8.2.2 , 8.3.1 for derivation of classifications.

TECHNICAL DETAILS

Table 8.3.1. Ramp Test According to DIN 51097

Evaluation Group	Minimum Angle Of Inclination	Areas According to GUV - I 8527
A	$\geq 12^{\circ}\text{C}$ 	* Walkways for barefoot use (mainly dry) * Communal and individual change rooms * Swimming pool floors in non-swimmer areas, when the water in the entire area is more than 80 cm deep * Sauna and rest areas (mainly dry)
B	$\geq 18^{\circ}\text{C}$ 	* Walkways for barefoot use that do not belong to group A * Shower areas * In the surroundings for disinfecting spray facilities * Swimming pool surrounds * Swimming pool floors in non-swimmer areas, when the water is less than 80 cm deep in partial areas. * Swimming pool floors in non-swimmer areas in wave pools * Elevating floors * Swimming pools for young children * Ladders leading into water * Stairs leading into water with a maximum width of 1 m and handrails on both sides * Ladders and stairs outside the swimming pool area * Sauna and rest areas that do not belong to group A
C	$\geq 24^{\circ}\text{C}$ 	* Ladders leading into water that do not belong to group B * Walk-through pools * Inclined swimming pool surrounds

Table 8.3.2. Classification Of Slip Resistance According to DIN 51130

Evaluation Group	Result Of The Average Values Of The Angle Of Inclination	
R9	From 6°C to 10°C	
R10	More than 10°C to 19°C	
R11	More than 19°C to 27°C	
R12	More than 27°C to 35°C	
R13	More than 35°C	

TECHNICAL DETAILS

9. Resistance to Thermal Shock

Under normal conditions, the heat shock resistance of all ceramic tiles is checked. Depending on the water absorption rate of the tiles, different processes are applied unless there is any change.

The resistance of a whole tile to heat shock is determined by turning 10 times between 15 and 145 degrees.

10. Moisture Expansion

Moisture Expansion, is the relative expansion that occurs as a result of expansion of the reheated and cooled tile by immersion in boiling water.

Moisture expansion is calculated using the following equation :

$$\frac{\Delta L}{L} \times 100 \%$$

ΔL : The difference between the two means, mm

L : length, mm

11. Frost Resistance

When determining the frost resistance of the tiles, first the tiles are kept between +5 °C and -5 °C after being saturated with water. All surfaces of the tiles are allowed to freeze-thaw at least 100 times.

After cooling to room temperature the tiles are connected to a dry vacuum tank. The dry mass of each tile is recorded.

$$E_1 = \frac{m_2 - m_1}{m_1} \times 100$$

m_1 : Mass of each dry tile

m_2 : Mass of each wet tile

E_1 : Initial water absorption

After the initial water absorption of each tile is calculated, a thermocouple is placed in the center of the tile. The tile is immersed in water until the temperature exceeds +5 °C. When the temperature of the tile exceeds +5 °C, it is left to stand for 15 minutes. This is repeated 100 times. The tiles are then weighed (m_3). Dried to constant weighing (m_4)

$$E_2 = \frac{m_3 - m_4}{m_4} \times 100$$

E_2 : Water absorption

m_3 : Mass of each wet tile

m_4 : Mass of each dry tile

12. Symbols for Indication of Intended Use and of Performances of Some Characteristics of Ceramic Tiles

Where required, the symbols, listed below and shown in Table 12.1, may be used on packaging and/or in accompanying documents for indication of:

a) the intended use of ceramic tiles:

- 1) suitable for use on floors (see Figure a);
- 2) suitable for use on walls (see Figure b).


b) the expressions of the name and performances of the following characteristics of ceramic tiles:

- 1) frost resistance (see Figure d);
- 2) thermal shock resistance (see Figure h);
- 3) abrasion resistance, as numeral, indicating the class of a glazed tile intended for use on floors according to Annex N (see Figure c).

c) the expressions of the name of the following characteristics of ceramic tiles:

- 1) breaking strength/modulus of rupture (see Figure f);
- 2) slip resistance (see Figure g);
- 3) bond strength/adhesion (see Figure i);
- 4) reaction to fire (see Figure e);
- 5) emission of dangerous substances (see Figure j).

Table 12.1. Intended use of symbols

Intended Use	Symbols
a) Floor tile	
b) Wall tile	
c) Abrasion class resistance	
d) Frost resistance	
e) Class A1 reaction to fire	
f) Breaking strength > 1100 N	
g) Slip resistance class R10	
h) Thermal shock resistance	
i) Bond strength > 0,5 N/mm2	
j) Release of dangerous substances	

TECHNICAL DETAILS

13.SHADE VARIATIONS



V1

Uniform Appearance

V1 : Tiles have a harmonious shade and texture with low, minimal variations



V2

Slight Variations

V2 : Tiles have a slight variation in shade and texture



V3

Moderate Variation

V3 : Tiles have a moderate variation in shade and texture



V4

Substantial Variation

V4 : Tiles have a random or substantial variation in shade and texture, to the extent that any piece of tile may be completely different in shade to another tile

TECHNICAL DETAILS

CE	
Termal Seramik Sanayi Ve Ticaret A.Ş. Kayhan Mah. Bilecik Yolu 1.Kümeleme No : 6 Söğüt - Bilecik / TÜRKİYE 06	
T-PB-SP-2017-01 / EN 14411 : 2016	
Glazed ceramic tiles,dry-pressed, with water absorption $E_b \leq 0,5 \%$, for internal and external floorings	
Characteristics	Declared Value
Reaction to Fire	A1 _{FL}
Breaking Strength	Thickness $\geq 7,5$ mm min.1300 N Thickness $< 7,5$ mm min. 700 N
Release of Dangerous Substances For	Cadmium $< 0,005$ mg/dm ² Lead $< 0,005$ mg/dm ²
Slipperiness	Antislip products are defined on the package
Internal Use	Pass
External Use: Freeze - Thaw Resistance	Pass

TECHNICAL DETAILS

CE	
Termal Seramik Sanayi Ve Ticaret A.Ş. Kayhan Mah. Bilecik Yolu 1.Kümeleme No : 6 Söğüt - Bilecik / TÜRKİYE 06	
T-PB-DK-2017-01 / EN 14411 : 2016	
Glazed ceramic tiles, dry-pressed, with water absorption $E_b > 10 \%$, for internal walls	
Characteristics	Declared Value
Reaction to Fire	A1
Release of Dangerous Substances For	Cadmium $< 0,005 \text{ mg/dm}^2$ Lead $< 0,005 \text{ mg/dm}^2$
Breaking Strength	Thickness $\geq 7,5 \text{ mm}$ min.600 N Thickness $< 7,5 \text{ mm}$ min. 200 N
Bond strength/adhesion - cementitious adhesive, Type C1:	$\geq 0,5 \text{ N/mm}^2$
Internal Use	Pass

TECHNICAL DETAILS



Termal Seramik Sanayi Ve Ticaret A.Ş.
Kayhan Mah. Bilecik Yolu 1.Kümeleme No : 6
Söğüt - Bilecik / TÜRKİYE
06

T-PB-YK-2017-01 / EN 14411 : 2016

Glazed ceramic tiles,dry-pressed, with water absorption
 $\% 0,5 < E_b \leq \% 3$, for internal floorings

Characteristics	Declared Value
Reaction to Fire	A1 _{FL}
Breaking Strength	Thickness $\geq 7,5$ mm min.1300 N Thickness $< 7,5$ mm min. 700 N
Release of Dangerous Substances For	Kurşun / Lead $< 0,005$ mg/dm ²
Slipperiness	Antislip products are defined on the package
Internal Use	Pass

TECHNICAL DETAILS



DECLARATION OF PERFORMANCE

Declaration of Performance No : T-PB-SP- 2017/01

1. Identificatin of Product : Glazed ceramic floor tile, dry pressed , $E_b \leq \% 0,5$

2. Intendet Use (s) : For internal and/or external floorings

3.Name and contact address of manufacturer :

Termal Seramik Sanayi ve Ticaret A.Ş.

Kayhan Mahallesi Bilecik Yolu 1. Kümeleme No : 6 Söğüt/Bilecik/TURKEY

Tel : +90 228 361 55 00

Fax : +90 228 361 2007

www.termalseramik.com.tr

4. System or sytems of assesment and verification of constancy of performance of the construction product :

System 4

5. Declared Performance

Essential characteristics	Performance	Harmonised thecnical specification
Reaction to fire	A1 _{fl}	-
Resistance to fire	Fireproof	
External fire performance	NPD	
Noise absorbsion	NPD	
Emissions of dangerous substances	NPD	
Release of dangerous substance, for - Cadmium - Lead	Cd < 0,005 mg/dm ² Pb < 0,005 mg/dm ²	EN 14411 : 2016
Breaking Strenght	Thickness ≥ 7.5 mm min. S : 1300 N Thickness < 7.5 mm min. S : 700 N	
Slipperines	Antislip products are defined on the package	
Tactility	NPD	
Bond strenght /adhesion for		
Cementitious adhesive, type C2	Min. 1 N/mm ²	
Thermal shock resistance	Pass	
Durability for		
- Internal use	Pass	
- external use ; freze-thaw resistance	Pass	

The performance of the product identified in point 1 is in conformity with the declared performances in point 5.

This declaration of performance is issued under the sole responsibilty of the manufacturer identified in point 3.

Termal Seramik Sanayi ve Ticaret A.Ş.



DECLARATION OF PERFORMANCE

Declaration of Performance No : T-PB-YK- 2017/01

1. Identificatin of Product : Glazed ceramic floor tile, dry pressed , % 0,5 < E_b ≤ % 3

2. Intendet Use (s) : For internal floorings

3.Name and contact address of manufacturer :

Termal Seramik Sanayi ve Ticaret A.Ş.

Kayhan Mahallesi Bilecik Yolu 1. Kümeleme No : 6 Söğüt/Bilecik/TURKEY

Tel : +90 228 361 55 00

Fax : +90 228 361 2007

www.termalseramik.com.tr

4. System or sytems of assesment and verification of constancy of performance of the construction product :

System 4

5. Declared Performance

Essential characteristics	Performance	Harmonised thecnical specification
Reaction to fire	A1 _{fl}	-
Resistance to fire	Fireproof	
External fire performance	NPD	
Noise absorbsion	NPD	
Emissions of dangerous substances	NPD	
Release of dangerous substance, for	Cd < 0,005 mg/dm ² Pb < 0,005 mg/dm ²	EN 14411 : 2016
- Cadmium		
- Lead		
Breaking Strenght	Thickness ≥ 7.5 mm min. S :1300 N Thickness < 7.5 mm min. S : 700 N	
Slipperines	Antislip products are defined on the package	
Tactility	NPD	
Bond strenght /adhesion for		
Cementitious adhesive, type C2	Min. 1 N/mm ²	
Thermal shock resistance	Pass	
Durability for		
- Internal use	Pass	

The performance of the product identified in point 1 is in conformity with the declared performances in point 5.

This declaration of performance is issued under the sole responsibilty of the manufacturer identified in point 3.

Termal Seramik Sanayi ve Ticaret A.Ş.

TECHNICAL DETAILS



DECLARATION OF PERFORMANCE

Declaration of Performance No : T-PB-DK- 2017/01

1. Identificatin of Product : Dry pressed ceramic wall tiles , $E_b > \% 10$

2. Intendet Use (s) : Ceramic wall tiles for interior

3.Name and contact address of manufacturer :

Termal Seramik Sanayi ve Ticaret A.Ş.

Kayhan Mahallesi Bilecik Yolu 1. Kümeleme No : 6 Söğüt / Bilecik / TURKEY

Tel : +90 228 361 55 00

Fax : +90 228 361 2007

www.termalseramik.com.tr

4. System or sytems of assesment and verification of constancy of performance of the construction product :

System 4

5. Declared Performance

Essential characteristics	Performance	Harmonised thecnical specification
Reaction to fire	A1	-
Resistance to fire	Fireproof	
External fire performance	NPD	
Noise absorbsion	NPD	
Emissions of dangerous substances	NPD	
Release of dangerous substance, for :		EN 14411 : 2016
- Cadmium	$Cd < 0,005 \text{ mg/dm}^2$	
- Lead	$Pb < 0,005 \text{ mg/dm}^2$	
Bond strenght /adhesion for :		
Cementitious adhesive, type C1	$\text{Min. } 0,5 \text{ N/mm}^2$	
Thermal shock resistance	Pass	
Durability for :		
- Internal use	Pass	

The performance of the product identified in point 1 is in conformity with the declared performances in point 5.

This declaration of performance is issued under the sole responsibilty of the manufacturer identified in point 3.

Termal Seramik Sanayi ve Ticaret A.Ş.

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Glazed Porcelain Tiles (Non-rectified)				
DESCRIPTION : Glazed ceramic tiles,dry-pressed, with water absorption $E_b \leq 0,5\%$,for internal and external floorings				
	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 Bl _a	TEST METHOD	TEST RESULT / CLASSIFICATION
PHYSICAL PROPERTIES	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 5	EN ISO 10545-2	% - / + 3,0
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	Water Absorption in % by Weight	max. 0,50 % individual max. 0,60 %	EN ISO 10545 - 3	max. 0,50 % individual max. 0,60 %
	Modulus of Rupture in N / mm²	min. 35	EN ISO 10545 - 4	min. 35
	Resistance to Surface Abrasion (PEI)	Report abrasion class and cycles passed	EN ISO 10545 - 7	class 4 (cycle : 1500)
	Scratch Hardness of Surface According to Mohs	Report scratch hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
	Frost Resistance	Required	EN ISO 10545 - 12	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	GA
	Resistance to Acids and Alkalis	Indicated by Manufacturer	EN ISO 10545 - 13	GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Glazed Porcelain Tiles (Rectified & Matt)				
DESCRIPTION : Glazed ceramic tiles,dry-pressed, with water absorption $E_b \leq 0,5 \%$, for internal and external floorings				
PHYSICAL PROPERTIES	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 Bl _a	TEST METHOD	TEST RESULT / CLASSIFICATION
	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 5	EN ISO 10545-2	% - / + 3,0
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	Water Absorbtion in % by Weight	max. 0,50 % individual max. 0,60 %	EN ISO 10545 - 3	max. 0,50 % individual max. 0,60 %
	Modulus of Rupture in N / mm ²	min. 35	EN ISO 10545 - 4	min. 35
	Resistance to Surface Abrasion (PEI)	Report abrasion class and cycles passed	EN ISO 10545 - 7	class 4 (cycle : 1500)
	Strach Hardness of Surface According to Mohs	Report strach hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
	Frost Resistance	Required	EN ISO 10545 - 12	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	Class GA
	Resistance to Acids and Alkalis	Indicated by Manufacturer	EN ISO 10545 - 13	Class GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Glazed Porcelain Tiles (Rectified & Full Lappato)				
DESCRIPTION : Glazed ceramic tiles,dry-pressed, with water absorption $E_b \leq 0,5 \%$, for internal and external floorings				
	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 Bl _a	TEST METHOD	TEST RESULT / CLASSIFICATION
PHYSICAL PROPERTIES	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 5	EN ISO 10545-2	% - / + 3,0
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	Water Absorbtion in % by Weight	max. 0,50 % individual max. 0,60 %	EN ISO 10545 - 3	max. 0,50 % individual max. 0,60 %
	Modulus of Rupture in N / mm ²	min. 35	EN ISO 10545 - 4	min. 35
	Resistance to Surface Abrasion (PEI)	Report abrasion class and cycles passed	EN ISO 10545 - 7	class 4 (cycle : 1500)
	Strach Hardness of Surface According to Mohs	Report strach hardness class	EN ISO 101	min. class : 4
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
	Frost Resistance	Required	EN ISO 10545 - 12	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	Class GA
	Resistance to Acids and Alkalis	İndicated by Manufacturer	EN ISO 10545 - 13	Class GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Glazed Ceramic Tiles (Rectified - Matt & Glossy)				
DESCRIPTION : Glazed ceramic tiles,dry-pressed, with water absorption $\%0,5 < Eb \leq \%3$, for internal floorings				
	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 Bl _a	TEST METHOD	TEST RESULT / CLASSIFICATION
PHYSICAL PROPERTIES	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	$\% - / + 0,5$	EN ISO 10545-2	$\% - / + 0,05$
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	$\% - / + 5$	EN ISO 10545-2	$\% - / + 3,0$
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	$\% - / + 0,5$	EN ISO 10545-2	$\% - / + 0,05$
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	$\% - / + 0,5$	EN ISO 10545-2	$\% - / + 0,05$
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	$\% - / + 0,5$	EN ISO 10545-2	$\% - / + 0,30$
	Water Absorbion in % by Weight	$0,5 \% < Eb \leq 3,0 \%$ (individual max. 3,3 %)	EN ISO 10545 - 3	max. 0,50 % individual max. 0,60 %
	Modulus of Rupture in N / mm²	Avarage minimum 30 N/mm ² (Individual 27 N / mm ²)	EN ISO 10545 - 4	min. 35
	Resistance to Surface Abrasion (PEI)	Report abrasion class and cycles passed	EN ISO 10545 - 7	class 4 (cycle : 1500)
	Stratch Hardness of Surface According to Mohs	Report stratch hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
	Frost Resistance	Required	EN ISO 10545 - 12	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	Class GA
	Resistance to Acids and Alkalies	Indicated by Manufacturer	EN ISO 10545 - 13	Class GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Glazed Ceramic Tiles (Non-rectified - Matt & Glossy)				
DESCRIPTION : Glazed ceramic tiles,dry-pressed, with water absorption $0,5\% < Eb \leq 3\%$, for internal floorings				
PHYSICAL PROPERTIES	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 Bl _a	TEST METHOD	TEST RESULT / CLASSIFICATION
	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 5	EN ISO 10545-2	% - / + 3,0
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% - / + 0,5	EN ISO 10545-2	% - / + 0,30
	Water Absorbtion in % by Weight	0,5 % < Eb ≤ 3,0 % (individual max. 3,3 %)	EN ISO 10545 - 3	0,5 % < Eb ≤ 3,0 % (individual max. 3,3 %)
	Modulus of Rupture in N / mm²	Avarage minimum 30 N/mm ² (Individual 27 N / mm ²)	EN ISO 10545 - 4	min. 30
	Resistance to Surface Abrasion (PEI)	Report abrasion class and cycles passed	EN ISO 10545 - 7	class 4 (cycle : 1500)
	Stratch Hardness of Surface According to Mohs	Report stratch hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
	Frost Resistance	Required	EN ISO 10545 - 12	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	GA
	Resistance to Acids and Alkalis	Indicated by Manufacturer	EN ISO 10545 - 13	GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Wall Tiles (Rectified)				
DESCRIPTION : Glazed ceramic tiles, dry-pressed, with water absorption $E_b > 10 \%$, for internal walls				
	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 BIII	TEST METHOD	TEST RESULT / CLASSIFICATION
PHYSICAL PROPERTIES	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 10	EN ISO 10545-2	% - / + 5
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,3	EN ISO 10545-2	% - / + 0,05
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,05
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% + 0,5 / - 0,3	EN ISO 10545-2	% + 0,35 / - 0,0
	Water Absorption in % by Weight (E)	$10 \leq E < 20$	EN ISO 10545 - 3	average E = 15
	Modulus of Rupture in N / mm^2	thickness $\geq 7,5$ mm ; min.12	EN ISO 10545 - 4	thickness $\geq 7,5$ mm ; average 18
	Stretch Hardness of Surface According to Mohs	Report stretch hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	GA
	Resistance to Acids and Alkalis	Indicated by Manufacturer	EN ISO 10545 - 13	GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Wall Tiles (Non-rectified)				
DESCRIPTION : Glazed ceramic tiles, dry-pressed, with water absorption $E_b > 10 \%$, for internal walls				
	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 BIII	TEST METHOD	TEST RESULT / CLASSIFICATION
PHYSICAL PROPERTIES	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,2
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 10	EN ISO 10545-2	% - / + 5
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,3	EN ISO 10545-2	% - / + 0,2
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,2
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% + 0,5 / - 0,3	EN ISO 10545-2	% + 0,35 / - 0,0
	Water Absorption in % by Weight (E)	$10 \leq E < 20$	EN ISO 10545 - 3	average E = 15
	Modulus of Rupture in N / mm^2	thickness $\geq 7,5$ mm ; min. 12	EN ISO 10545 - 4	thickness $\geq 7,5$ mm ; average 18
	Stratch Hardness of Surface According to Mohs	Report stratch hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	GA
	Resistance to Acids and Alkalis	Indicated by Manufacturer	EN ISO 10545 - 13	GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

TECHNICAL DETAILS



TERMAL SERAMİK PROCESS CONTROL LABORATORY PRODUCT TEST REPORTS

PRODUCT : Wall Tiles (Non-rectified)				
DESCRIPTION : Glazed ceramic tiles, dry-pressed, with water absorption $E_b > 10\%$, for internal walls				
	PARAMETERS	REQUIREMENTS ACCORDING TO EN 14411 BIII	TEST METHOD	TEST RESULT / CLASSIFICATION
PHYSICAL PROPERTIES	A) Dimensions and surface quality ; A.1) Length and width (The deviation in % of the average size for each tile from the work size in one caliber)	% - / + 0,5	EN ISO 10545-2	% - / + 0,2
	A.2) Thickness (The deviation in % of the average thickness of each tile from work size thickness)	% - / + 10	EN ISO 10545-2	% - / + 5
	A.3) Straightness of sides (The maximum from straightness in % related to the corresponding work size)	% - / + 0,3	EN ISO 10545-2	% - / + 0,2
	A.4) Rectangularity (The max. deviation from rectangularity in % related to the corresponding work sizes)	% - / + 0,5	EN ISO 10545-2	% - / + 0,2
	A.5) Surface flatness The max. deviation from flatness in % (centre curvature, edge curvature, warpage)	% + 0,5 / - 0,3	EN ISO 10545-2	% + 0,35 / - 0,0
	Water Absorption in % by Weight (E)	$10 \leq E < 20$	EN ISO 10545 - 3	average E = 15
	Modulus of Rupture in N / mm^2	thickness $\geq 7,5$ mm ; min.12	EN ISO 10545 - 4	thickness $\geq 7,5$ mm ; average 18
	Strach Hardness of Surface According to Mohs	Report strach hardness class	EN ISO 101	min. class : 5
	Thermal Shock Resistance	Required	EN ISO 10545 - 9	Passed
	Crazing Resistance Glazed Tiles	Required	EN ISO 10545 - 11	Passed
CHEMICAL PROPERTIES	Resistance to Household Chemicals	min. Class B	EN ISO 10545 - 13	GA
	Resistance to Acids and Alkalis	Indicated by Manufacturer	EN ISO 10545 - 13	GHA
	Resistance to Staining	min. Class 3	EN ISO 10545 - 14	Class 4

30x120 cm. **PEGAWOOD**



TERMAL SERAMİK



TERMAL SERAMİK

TERMAL SERAMİK



TERMAL SERAMİK

TERMAL SERAMİK



TERMAL SERAMİK

TERMAL SERAMİK





TERMAL SERAMİK

www.termalseramik.com.tr

HEAD OFFICE / MERKEZ

Kartaltepe Mah. Yalçın Sok. No: 46/2 Sefaköy / İstanbul / TURKEY
Tel: +90 212 425 04 51 (pbx), Fax: +90 212 425 04 50 - 57

FACTORY / FABRİKA

Kayhan Mah. Bilecik Yolu 1. Kümeleme No:6
Söğüt / Bilecik / TURKEY
Tel: +90 228 361 55 00 (pbx), Fax: +90 228 361 20 07

İSTANBUL BÖLGE	0530 461 16 66
ANKARA BÖLGE	0534 011 72 44
ADANA BÖLGE	0538 431 28 43
BURSA BÖLGE	0531 871 99 86
KARADENİZ BÖLGE	0536 772 01 00
EGE - AKDENİZ BÖLGE	0533 488 80 60

info@termal.com.tr